herpy

LACÉRTIDOS

Erhard's Wall Lizard

Podarcis erhardii

Podarcis erhardii is a medium-sized, diurnal wall lizard from Greece and the surrounding countries, especially the Aegean islands. It reaches 15-23 cm including the tail, is grey, brown or greenish with very variable markings, and feeds on arthropods. The species is common in the wild, but little is known about its care.

Familia: Lacertidae

DATOS CLAVE

EL ANIMAL

Tamaño adulto	**15-23 cm** longitud total con la cola
Esperanza de vida	**5-10 años**
Activo	**De día**
Modo de vida	**Rupícola y terrestre**
Hábitat	**Terreno rocoso y bosque y prado templados**
Dificultad	**Intermedio**

CUIDADOS

Terrario mín.	**100 × 50 × 50 cm** L × An × Al para 2 adultos
Temperatura, día	**22-30 °C**
Punto caliente	**40-45 °C**
Temperatura, noche	**14-18 °C**
Humedad	**40-60 %**
Agua	**Bebedero**
UVB	**Recomendado** Zona Ferguson 3
Reposo invernal	**8-12 °C** 8-12 semanas
Alimentación	**Insectos y pequeños invertebrados (colémbolos, moscas de la fruta)**
Se mantiene	**En pareja**

CRÍA

Reproducción	**Ovípara**
Tamaño de la puesta	**1-4 huevos**
Puestas por año	**1-2**
Incubación	**35-45 días** a 26-28 °C

PROTECCIÓN Y TRÁMITES

CITES	**No incluida**
Anexo de la UE	**No incluida**
UICN	**Preocupación menor (LC)**

Cuidados de un vistazo

EL TERRARIO	Little is known about the care of *Podarcis erhardii*.
TEMPERATURA	By day the temperature should be 22-30 °C, and the basking spot should be 40-45 °C at the surface, measured with an infrared thermometer.
HUMEDAD Y AGUA	Humidity should be moderate: 40-60 % by day. The enclosure must be able to dry out completely, because still, humid air causes skin problems and fungus.
ILUMINACIÓN Y UVB	*Podarcis erhardii* is diurnal and lives in open, sunlit terrain, so the enclosure needs strong heat and UVB light. The species probably belongs to Ferguson zone 3, with a UV index of about 3-5 at the basking spot.
ALIMENTACIÓN	*Podarcis erhardii* eats mostly small arthropods. The feeder insects can be crickets, small grasshoppers, flies, fruit flies, springtails, spiders and woodlice, and mealworms and wax worms only in small amounts.
COMPORTAMIENTO Y MANIPULACIÓN	*Podarcis erhardii* is fast and alert and flees when disturbed. Males are territorial, and two males together will fight.
ÁREA DE DISTRIBUCIÓN NATURAL	Grecia, Albania, Macedonia del Norte y Bulgaria.