herpy

SALAMANDRAS Y TRITONES

Southern Banded Newt

Ommatotriton vittatus

Ommatotriton vittatus is a medium-sized newt of 9-11 cm from the Levant and southern Turkey. In the breeding season the male develops a tall, serrated dorsal crest and stronger colours. The species likes cool conditions, is shy, and needs a cool, humid and quiet set-up, so it is one of the more difficult newts to keep. The population in Turkey is declining, so captive-bred animals are the right choice.

Familia: Salamandridae Nombre anterior: *Salamandra vittatus; Triturus vittatus* **Toxinas cutáneas leves**

DATOS CLAVE

EL ANIMAL

Tamaño adulto	**9-11 cm** longitud total con la cola
Esperanza de vida	**8-12 años**
Activo	**Al crepúsculo y de noche**
Modo de vida	**Semiacuático**
Hábitat	**Humedal y bosque y prado templados**
Toxinas cutáneas	**Leves** Lávate las manos después del contacto y mantén los dedos alejados de los ojos y la boca
Dificultad	**Avanzado**

CUIDADOS

Terrario mín.	**60 × 30 × 30 cm** L × An × Al para 2 adultos
Temperatura, día	**10-18 °C**
Temperatura, noche	**5-12 °C**
Humedad	**80-100 %**
Agua	**Acuaterrario** profundidad 10-20 cm
Temperatura del agua	**8-18 °C**
UVB	**No necesario**
Reposo invernal	**4-10 °C** 8-12 semanas
Alimentación	**Insectos, pequeños invertebrados (colémbolos, moscas de la fruta) y lombrices/caracoles**
Se mantiene	**En pareja**

CRÍA

Reproducción	**Ovípara**
Desarrollo	**Larvas en el agua**
Lugar de puesta	**En el agua**
Madurez sexual	**36-48 meses**
Huevos por temporada	**100-200**
Periodo larvario	**60-120 días** desde la eclosión hasta la metamorfosis
Alimentación de las larvas	**Pequeños invertebrados acuáticos (dafnias, larvas de mosquito)**
Cuidado parental	**Ninguno**

PROTECCIÓN Y TRÁMITES

CITES	**No incluida**
Anexo de la UE	**No incluida**
UICN	**Preocupación menor (LC)**

Cuidados de un vistazo

EL TERRARIO	Little is known about keeping *Ommatotriton vittatus*.
TEMPERATURA	*Ommatotriton vittatus* likes cool conditions. The daytime temperature should be 10-18 °C and the night temperature 5-12 °C, and the temperature must not exceed 20 °C for long.
HUMEDAD Y PULVERIZACIÓN	Keep the land section damp, with a humidity of 80-100 %, but never waterlogged. Mist the moss with dechlorinated water when it begins to dry.
AGUA Y CALIDAD DEL AGUA	The water section should be 10-20 cm deep and 8-18 °C. Use dechlorinated tap water or rainwater. Clean water is important: change a third of the water weekly, and remove food remains daily. A small filter with a gentle flow helps.
ILUMINACIÓN Y UVB	UVB is not necessary for the species, which is active at night and at dusk and avoids sun. Ordinary daylight or LED light for 10-12 hours a day is enough. The lamp must not heat the enclosure.
ALIMENTACIÓN	*Ommatotriton vittatus* eats any small animal it can overpower. On land, springtails, woodlice, white worms, fruit flies and small snails and spiders are suitable, and for adults also larger woodlice and crickets.
COMPORTAMIENTO Y MANIPULACIÓN	The species is shy and does best when left in peace. Males bite and chase each other away from their territory, so two males do not belong together in a small enclosure.
ÁREA DE DISTRIBUCIÓN NATURAL	Turquía, Siria, Líbano, Israel y Jordania.