herpy

SALAMANDRES ET TRITONS

Southern Banded Newt

Ommatotriton vittatus

Ommatotriton vittatus is a medium-sized newt of 9-11 cm from the Levant and southern Turkey. In the breeding season the male develops a tall, serrated dorsal crest and stronger colours. The species likes cool conditions, is shy, and needs a cool, humid and quiet set-up, so it is one of the more difficult newts to keep. The population in Turkey is declining, so captive-bred animals are the right choice.

Famille: Salamandridae Ancien nom: *Salamandra vittatus; Triturus vittatus* **Toxines cutanées faibles**

INFORMATIONS ESSENTIELLES

L'ANIMAL

Taille adulte	**9-11 cm** longueur totale queue comprise
Espérance de vie	**8-12 ans**
Activité	**Au crépuscule et la nuit**
Mode de vie	**Semi-aquatique**
Habitat	**Zone humide et forêt et prairie tempérées**
Toxines cutanées	**Faibles** Lavez-vous les mains après le contact et gardez les doigts loin des yeux et de la bouche
Difficulté	**Expérimenté**

ENTRETIEN

Terrarium min.	**60 × 30 × 30 cm** L × l × H pour 2 adultes
Température, jour	**10-18 °C**
Température, nuit	**5-12 °C**
Hygrométrie	**80-100 %**
Eau	**Aquaterrarium** profondeur 10-20 cm
Température de l'eau	**8-18 °C**
UVB	**Non nécessaires**
Repos hivernal	**4-10 °C** 8-12 semaines
Alimentation	**Insectes, petits invertébrés (collemboles, drosophiles) et vers/escargots**
Détention	**En couple**

REPRODUCTION

Reproduction	**Ovipare**
Développement	**Larves dans l'eau**
Lieu de ponte	**Dans l'eau**
Maturité sexuelle	**36-48 mois**
Œufs par saison	**100-200**
Durée du stade larvaire	**60-120 jours** de l'éclosion à la métamorphose
Alimentation des larves	**Petits invertébrés aquatiques (daphnies, larves de moustiques)**
Soins parentaux	**Aucun**

PROTECTION ET FORMALITÉS

CITES	**Non inscrite**
Annexe UE	**Non inscrite**
UICN	**Préoccupation mineure (LC)**

L'entretien en bref

LE TERRARIUM	Little is known about keeping *Ommatotriton vittatus*.
TEMPÉRATURE	*Ommatotriton vittatus* likes cool conditions. The daytime temperature should be 10-18 °C and the night temperature 5-12 °C, and the temperature must not exceed 20 °C for long.
HYGROMÉTRIE ET BRUMISATION	Keep the land section damp, with a humidity of 80-100 %, but never waterlogged. Mist the moss with dechlorinated water when it begins to dry.
EAU ET QUALITÉ DE L'EAU	The water section should be 10-20 cm deep and 8-18 °C. Use dechlorinated tap water or rainwater. Clean water is important: change a third of the water weekly, and remove food remains daily. A small filter with a gentle flow helps.
ÉCLAIRAGE ET UVB	UVB is not necessary for the species, which is active at night and at dusk and avoids sun. Ordinary daylight or LED light for 10-12 hours a day is enough. The lamp must not heat the enclosure.
ALIMENTATION	*Ommatotriton vittatus* eats any small animal it can overpower. On land, springtails, woodlice, white worms, fruit flies and small snails and spiders are suitable, and for adults also larger woodlice and crickets.
COMPORTEMENT ET MANIPULATION	The species is shy and does best when left in peace. Males bite and chase each other away from their territory, so two males do not belong together in a small enclosure.
AIRE D'ORIGINE	Turquie, Syrie, Liban, Israël et Jordanie.