herpy

SALAMANDRES ET TRITONS

California Newt

Taricha torosa

Taricha torosa is a sturdy newt, 13-20 cm long, from the California coast, with a granular brown back and a yellow to orange belly. The skin contains tetrodotoxin, a nerve toxin with no antidote, and the animal can be deadly if swallowed. The species lives mostly on land and enters the water only to breed, and it must be kept cool.

Famille: Salamandridae Ancien nom: *Cynops torosus; Notophthalmus torosus* **Fortes toxines cutanées**

INFORMATIONS ESSENTIELLES

L'ANIMAL

Taille adulte	**13-20 cm** longueur totale queue comprise
Espérance de vie	**12-22 ans**
Activité	**Le jour et la nuit**
Mode de vie	**Semi-aquatique**
Habitat	**Zone humide et forêt et prairie tempérées**
Toxines cutanées	**Fortes** Évitez le contact avec la peau et lavez-vous soigneusement les mains après avoir travaillé dans le terrarium
Difficulté	**Intermédiaire**

ENTRETIEN

Terrarium min.	**60 × 30 × 30 cm** L × l × H pour 2 adultes
Température, jour	**16-21 °C**
Température, nuit	**14-18 °C**
Hygrométrie	**70-90 %**
Eau	**Gamelle d'eau**
UVB	**Non nécessaires**
Alimentation	**Insectes et vers/escargots**
Détention	**En couple ou en groupe**

REPRODUCTION

Reproduction	**Ovipare**
Développement	**Larves dans l'eau**
Lieu de ponte	**Dans l'eau**
Maturité sexuelle	**36 mois**
Œufs par saison	**7-30**
Éclosion	**14-21 jours**
Durée du stade larvaire	**60-90 jours** de l'éclosion à la métamorphose
Alimentation des larves	**Petits invertébrés aquatiques (daphnies, larves de moustiques)**
Soins parentaux	**Aucun**

PROTECTION ET FORMALITÉS

CITES	**Non inscrite**
Annexe UE	**Non inscrite**
UICN	**Quasi menacée (NT)**

L'entretien en bref

LE TERRARIUM	There is relatively little knowledge about the care of *Taricha torosa*, so the winter temperatures are borrowed from the closely related *Taricha granulosa*, which is kept more often.
TEMPÉRATURE	*Taricha torosa* likes the cool. By day the temperature should be 16-21 °C and at night 14-18 °C. The temperature must not exceed 24 °C, and longer periods above 21 °C must be avoided.
HYGROMÉTRIE ET BRUMISATION	The substrate should be damp, but the enclosure should not drip. Humidity is about 70-90%, and daily misting with dechlorinated water keeps the substrate moist.
EAU ET QUALITÉ DE L'EAU	A shallow dish of clean water must always be available, so that the animal can cover itself completely with water. Use tap water treated for chlorine and chloramine; distilled and demineralised water are not used.
ÉCLAIRAGE ET UVB	The species does not need UVB. Daylight in the room or a weak fluorescent tube during the day and darkness at night is enough.
ALIMENTATION	*Taricha torosa* is an opportunistic predator that takes almost anything it can overpower. Earthworms are a complete diet in themselves, and compost worms (*Eisenia fetida*) are also taken readily.
COMPORTEMENT ET MANIPULATION	*Taricha torosa* is calm, sociable and not aggressive towards others of its kind of the same size.
AIRE D'ORIGINE	États-Unis.