herpy

TORTUES TERRESTRES ET AQUATIQUES

Forsten's Tortoise

Indotestudo forstenii

Indotestudo forstenii is a medium-sized tortoise from the forests of Sulawesi and Halmahera in Indonesia. The carapace is caramel to dark brown with black blotches, and adults typically reach about 25 cm. The species is crepuscular and shy, needs warmth and high humidity, and does not hibernate. It is critically endangered, and animals taken from the wild are often sick.

Famille: Testudinidae Ancien nom: *Testudo forstenii; Geochelone forsteni; Indotestudo elongata forsteni*

INFORMATIONS ESSENTIELLES

L'ANIMAL

Taille adulte	**25-30 cm** longueur totale queue comprise
Poids	**2 000-3 000 g**
Espérance de vie	**30-50 ans**
Activité	**Au crépuscule**
Mode de vie	**Terrestre**
Habitat	**Forêt tropicale humide**
Difficulté	**Expérimenté**

ENTRETIEN

Terrarium min.	**180 × 120 × 40 cm** L × l × H pour 2 adultes
Température, jour	**26-30 °C**
Zone de bain de soleil	**30-32 °C**
Température, nuit	**18-20 °C**
Hygrométrie	**70-85 %**
Eau	**Gamelle d'eau**
UVB	**Recommandés** Zone de Ferguson 2
Alimentation	**Fruits, plantes et vers/escargots**
Détention	**Seul ou en couple**

REPRODUCTION

Reproduction	**Ovipare**
Taille de la ponte	**1-4 œufs**
Pontes par an	**1-3**
Incubation	**130-165 jours** à 26-30 °C

PROTECTION ET FORMALITÉS

CITES	**Annexe II**
Annexe UE	**Annexe B**
UICN	**En danger critique (CR)**

L'entretien en bref

LE TERRARIUM

Little is known about the care of *Indotestudo forstenii*, and much is borrowed from the close relative *Indotestudo elongata*. The species needs a large, open floor area with damp substrate and hides.

TEMPÉRATURE

The air should be 26-30 °C by day and 18-20 °C at night. The animals do not seek the sun and seldom sit under the lamp, but a warm zone of 30-32 °C under a heat lamp at one end, measured at shell height, gives them a choice.

HYGROMÉTRIE ET EAU

Humidity should be high, about 70-85 %, with a damper and a drier zone so that the animal can choose. The substrate should be damp but not wet, and the hides are dampened regularly.

ÉCLAIRAGE ET UVB

Indotestudo forstenii avoids bright light, but needs vitamin D3 for calcium metabolism. The best solution is time outdoors in partial shade; glass and acrylic block UVB.

ALIMENTATION

Indotestudo forstenii is omnivorous, with plants as the main component. The basis is leaves and herbs such as romaine lettuce, endive, dandelion and plantain together with grated vegetables.

COMPORTEMENT ET MANIPULATION

Indotestudo forstenii is shy and most active at dawn and dusk. It needs several hides and must not be disturbed all the time. Lift it only when necessary, under the plastron with both hands.

AIRE D'ORIGINE

Indonésie.