herpy

SCINCHI

Southern White's Skink

Liopholis whitii

A medium-sized, diurnal rock skink from cool temperate southern Australia and Tasmania. *Liopholis whitii* lives in rock crevices and burrows under stones, lives in small family groups and gives birth to live young. It needs an enclosure with many narrow hiding places, a warm basking spot, a cool night and patience when putting animals together.

Famiglia: Scincidae Nome precedente: *Egernia whitii; Scincus whitii*

DATI ESSENZIALI

L'ANIMALE

Dimensioni da adulto	**8-10 cm** lunghezza muso-cloaca
Aspettativa di vita	**10-15 anni**
Attività	**Di giorno**
Stile di vita	**Rupicolo e scavatore**
Habitat	**Terreno roccioso e bosco e prato temperati**
Difficoltà	**Intermedio**

CURA

Terrario min.	**90 × 45 × 45 cm** L × P × H per 2 adulti
Temperatura, giorno	**20-26 °C**
Punto caldo	**30-35 °C**
Temperatura, notte	**12-18 °C**
Umidità	**40-60%**
Acqua	**Ciotola d'acqua**
UVB	**Consigliati** Zona Ferguson 2
Alimentazione	**Insetti, frutta e piante**
Detenzione	**In coppia o in gruppo**

RIPRODUZIONE

Riproduzione	**Vivipara**
Maturità sessuale	**24-36 mesi**
Piccoli per parto	**1-4 piccoli**
Deposizioni all'anno	**1**
Gestazione	**100-140 giorni**

TUTELA E DOCUMENTI

CITES	**Appendice III**
Allegato UE	**Allegato C**
IUCN	**Minima preoccupazione (LC)**

La cura in breve

IL TERRARIO	Little is known about keeping *Liopholis whitii*. A single animal can be kept in 60 × 30 × 40 cm.
TEMPERATURA	By day the air should be 20-26 °C, and under a lamp at one end a flat stone should reach 30-35 °C measured with an infrared thermometer. At night the temperature should drop to 12-18 °C.
UMIDITÀ E ACQUA	Humidity should be 40-60 %. Keep the substrate dry, but make part of it slightly damp under a stone or a piece of bark so the animals can choose. Do not mist daily.
ILLUMINAZIONE E UVB	The species is diurnal and basks on rocks. A UVB tube in a reflector above the basking spot should provide UVB corresponding to Ferguson zone 2.
ALIMENTAZIONE	*Liopholis whitii* is omnivorous. Offer insects such as mealworms, crickets and cockroaches, and supplement with finely chopped herbs and a little fruit or berries.
COMPORTAMENTO E MANIPOLAZIONE	The species is territorial towards strangers and in the wild lives in small family groups whose members know each other.
AREALE D'ORIGINE	Australia.

La guida completa con mappa e aggiornamenti: herpy.org/en/skinks/liopholis-whitii