herpy

SALAMANDRE E TRITONI

Danube Crested Newt

Triturus dobrogicus

Triturus dobrogicus is a slender crested newt, 13-18 cm long, from the Danube basin and the plains of the large rivers. It is the smallest and most aquatic of the crested newts, with an orange to red belly and sharply defined black spots. The male develops a serrated crest in spring. The species is rare in captivity, and its care follows that of the other crested newts.

Famiglia: Salamandridae **Tossine cutanee lievi**

DATI ESSENZIALI

L'ANIMALE

Dimensioni da adulto	**13-18 cm** lunghezza totale inclusa la coda
Aspettativa di vita	**7-17 anni**
Attività	**Al crepuscolo e di notte**
Stile di vita	**Semiacquatico**
Habitat	**Zona umida e bosco e prato temperati**
Tossine cutanee	**Lievi** Lavati le mani dopo il contatto e tieni le dita lontane da occhi e bocca
Difficoltà	**Intermedio**

CURA

Terrario min.	**45 × 30 × 30 cm** L × P × H per 4 adulti
Temperatura, giorno	**12-20 °C**
Temperatura, notte	**8-15 °C**
Umidità	**70-95%**
Acqua	**Acquaterrario** profondità 15-30 cm
Temperatura dell'acqua	**10-20 °C**
UVB	**Non necessari**
Riposo invernale	**4-10 °C** 6-12 settimane
Alimentazione	**Insetti e vermi/lumache**
Detenzione	**In coppia o in gruppo**

RIPRODUZIONE

Riproduzione	**Ovipara**
Sviluppo	**Larve in acqua**
Luogo di deposizione	**In acqua**
Maturità sessuale	**12-36 mesi**
Uova per stagione	**200**
Schiusa	**14-35 giorni**
Periodo larvale	**60-120 giorni** dalla schiusa alla metamorfosi
Alimentazione delle larve	**Mangime completo, altri larve e piccoli invertebrati acquatici (dafnie, larve di zanzara)**
Cure parentali	**Nessuna**

TUTELA E DOCUMENTI

CITES	**Non elencata**
Allegato UE	**Non elencata**
IUCN	**Minima preoccupazione (LC)**

La cura in breve

IL TERRARIO	Little is known about the care of *Triturus dobrogicus*, and the species is rare in captivity.
TEMPERATURA	*Triturus dobrogicus* loves cool conditions. The water is kept at 10-20 °C and must never become warmer; the animals are active down to about 5 °C.
UMIDITÀ E NEBULIZZAZIONE	In the aquatic phase humidity is not a problem. In the land phase the soft skin dries out quickly, so the substrate must be damp, with a humidity of 70-95%.
ACQUA E QUALITÀ DELL'ACQUA	Water depth is 15-30 cm, and the water is kept at 10-20 °C. The species is used to river water and tolerates many kinds of water, but chlorine harms it; tap water that has stood for a couple of days is unproblematic.
ILLUMINAZIONE E UVB	The animals are nocturnal and do not need UVB. The plants need light to grow, and an ordinary aquarium lamp is enough.
ALIMENTAZIONE	In the water *T. dobrogicus* takes earthworms, freshwater shrimp (*Gammarus*), bloodworms, daphnia and white worms. Frozen bloodworms and fish food are also taken, but often have to be offered with tweezers at first.
COMPORTAMENTO E MANIPOLAZIONE	*Triturus dobrogicus* is nocturnal and hides in vegetation by day. In the water the animals snap at anything that moves, including each other during feeding, and in the wild they also eat smaller newts and tadpoles.
AREALE D'ORIGINE	Austria, Cechia, Slovacchia, Ungheria, Slovenia, Croazia, Bosnia ed Erzegovina, Serbia, Romania, Ucraina, Bulgaria e Moldavia.