herpy

AGAMEN

Black-soil Bearded Dragon

Pogona henrylawsoni

Pogona henrylawsoni is the smallest bearded dragon: a low, compact agamid of no more than about 30 cm from the treeless black clay plains of central Queensland, with a weak beard and a short, blunt head. It is diurnal and calm and needs far less space than *Pogona vitticeps*, but has the same need for heat, strong UVB and a diggable substrate, and lives 10-15 years.

Familie: Agamidae Vroegere naam: *Pogona brevis*

KERNGEGEVENS

HET DIER

Volwassen grootte	**25-30 cm** totale lengte incl. staart
Levensduur	**10-15 jaar**
Actief	**Overdag**
Levenswijze	**Bodembewonend en gravend**
Leefgebied	**Halfwoestijn en savanne**
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**90 × 45 × 45 cm** L × B × H voor 1 volwassen dier
Temperatuur overdag	**24-29 °C**
Zonneplek	**38-45 °C**
Temperatuur ’s nachts	**13-24 °C**
Luchtvochtigheid	**30-50%**
Water	**Waterbak**
UVB	**Onmisbaar** Fergusonzone 3
Voeding	**Insecten en planten**
Gehouden	**Solitair, in paren of één mannetje met meerdere vrouwtjes**

KWEEK

Voortplanting	**Eierleggend**
Geslachtsrijp	**12-24 maanden**
Legselgrootte	**5-19 eieren**
Legsels per jaar	**2**
Incubatie	**58-64 dagen** bij 29 °C

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
EU-bijlage	**Niet opgenomen**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM
A single adult needs an enclosure of at least 90 × 45 × 45 cm, and more space will be used. A small group, for example a male with one or more females, requires at least 120 × 60 × 60 cm.

TEMPERATUUR
The basking spot should have a surface temperature of 38-45 °C, measured with an infrared thermometer on the stone. The cool end should be 24-29 °C.

LUCHTVOCHTIGHEID EN WATER
Humidity should average 30-50 %, measured in the middle of the enclosure with a digital hygrometer. Brief fluctuations up or down are harmless.

VERLICHTING EN UVB
P. henrylawsoni is diurnal and needs plenty of bright white light and strong UVB. Use a T5 HO tube with 10-12 % UVB in a reflective fitting on the same side as the heat lamp.

VOEDING
P. henrylawsoni is omnivorous and eats mostly insects and leafy greens. Hatchlings (under 3 months): insects 2-3 times daily and greens daily. Young (3-7 months): insects twice daily and greens daily.

GEDRAG EN OMGANG
P. henrylawsoni is calm and tolerates gentle handling, but does not like being held firmly or turned onto its back and struggles if this happens.

NATUURLIJK VERSPREIDINGSGEBIED
Australië.