herpy

AGAMEN

Nullabor Bearded Dragon

Pogona nullarbor

Pogona nullarbor is a medium-sized bearded dragon of about 30-35 cm with a short snout and short tail, known only from the Nullarbor Plain in southern Australia. It is reddish brown to orange-brown with pale cross-bands and several rows of large spines along the flanks, and it is very rarely kept in captivity.

Familie: Agamidae Vroegere naam: *Amphibolurus nullarbor*

KERNGEGEVENS

HET DIER

Volwassen grootte	**30-35 cm** totale lengte incl. staart
Levensduur	**10-15 jaar**
Actief	**Overdag**
Levenswijze	**Bodembewonend en gravend**
Leefgebied	**Halfwoestijn en savanne**
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**120 × 60 × 60 cm** L × B × H voor 1 volwassen dier
Temperatuur overdag	**24-37 °C**
Zonneplek	**40-45 °C**
Temperatuur ’s nachts	**13-24 °C**
Luchtvochtigheid	**30-50%**
Water	**Waterbak**
UVB	**Onmisbaar** Fergusonzone 3
Voeding	**Insecten en planten**
Gehouden	**Solitair**

KWEEK

Voortplanting	**Eierleggend**
Geslachtsrijp	**6-12 maanden**
Legselgrootte	**14-20 eieren**
Incubatie	**75-85 dagen** bij 28-30 °C

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
EU-bijlage	**Niet opgenomen**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM	Little is known about the care of *Pogona nullarbor*, because the species is hardly kept outside Australia.
TEMPERATUUR	Heat with at least two halogen spotlights over the basking spot. The surface there should be 40-45 °C measured with an infrared thermometer, and the warm patch must be at least as large as the whole animal.
LUCHTVOCHTIGHEID EN WATER	Humidity should be 30-50 %, measured at the cool end, and the enclosure must be able to dry out, because the species lives in a dry region. Stagnant, wet air and a wet substrate cause illness.
VERLICHTING EN UVB	*Pogona nullarbor* depends on strong, white light, which promotes appetite and activity. The basking spot should be the brightest place, and 75-100 % of the length of the enclosure should be lit.
VOEDING	*Pogona nullarbor* is fed like other medium-sized bearded dragons: mostly insects and a daily supplement of greens. The diet in the wild is not documented for the species.
GEDRAG EN OMGANG	*Pogona nullarbor* is diurnal and basks a lot. Its behaviour has not been studied for the species; the other species in the genus head-bob at rivals and wave a foreleg as a sign of submission, and the same can be expected here.
NATUURLIJK VERSPREIDINGSGEBIED	Australië.