herpy

GEKKO'S

Iranian fat-tailed gecko

Eublepharis angramainyu

A large, nocturnal ground-dwelling gecko from the mountains of Iraq, Iran, Syria and Turkey, with pale and dark bands, a fat tail and movable eyelids. It is the largest species in the genus and closely related to *Eublepharis macularius*, but far less common in vivaria, and only a few documented experiences with it in captivity exist.

Familie: Eublepharidae Vroegere naam: *Eublepharis ensafi*

KERNGEGEVENS

HET DIER

Volwassen grootte	**20-30 cm** totale lengte incl. staart
Gewicht	**100-186 g**
Levensduur	**15-20 jaar**
Actief	**'s nachts**
Levenswijze	**Rotsbewonend en bodembewonend**
Leefgebied	**Halfwoestijn en rotsachtig terrein**
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**120 × 60 × 45 cm** L × B × H voor 1 volwassen dier
Temperatuur overdag	**28-32 °C**
Zonneplek	**34-36 °C**
Temperatuur 's nachts	**25-26 °C**
Luchtvochtigheid	**50-60%**
Water	**Waterbak**
UVB	**Optioneel**
Voeding	**Insecten**
Gehouden	**Solitair**

KWEEK

Voortplanting	**Eierleggend**
Geslachtsrijp	**24 maanden**
Legselgrootte	**2 eieren**
Incubatie	**35-89 dagen** bij 26-32 °C

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
EU-bijlage	**Niet opgenomen**
IUCN	**Onvoldoende gegevens (DD)**

Verzorging in het kort

HET TERRARIUM	An adult needs an enclosure of at least 120 × 60 × 45 cm (length × width × height).
TEMPERATUUR	The species is kept warmer than *Eublepharis macularius*. By day the enclosure should be 28-32 °C, with a warm spot under a spotlight of around 60 W. The hottest spot of 34-36 °C is borrowed from the relative.
LUCHTVOCHTIGHEID EN WATER	Humidity is kept at 50-60% by misting the enclosure twice a day. That is more than the 30-40% recommended for *Eublepharis macularius*. Provide good ventilation so that the air does not become stagnant.
VERLICHTING EN UVB	The animal is nocturnal, but a fixed daily rhythm with 12 hours of light helps it keep track of day and night and promotes appetite.
VOEDING	*Eublepharis angramainyu* is an opportunistic carnivore. In the wild it takes grasshoppers, scorpions, beetles, spiders and small lizards, among other things.
GEDRAG EN OMGANG	The species lives alone, and it is not documented how well it does together with conspecifics.
NATUURLIJK VERSPREIDINGSGEBIED	Irak, Iran, Syrië en Turkije.