herpy

GEKKO'S

Bauer's chameleon gecko

Eurydactylodes agricolae

Eurydactylodes agricolae is a small, slender climber from the forests of north-western New Caledonia with olive to moss-green, granular skin and yellow markings around the mouth and on the limbs. It tolerates heat poorly, but is not difficult to keep in a cool, humid and densely planted enclosure.

Familie: Diplodactylidae

KERNGEGEVENS

HET DIER

Volwassen grootte	**5-6 cm** kop-romplengte
Levensduur	**10-15 jaar**
Actief	**Overdag en in de schemering**
Levenswijze	**Boombewonend**
Leefgebied	**Regenwoud**
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**30 × 30 × 45 cm** L × B × H voor 1 volwassen dier
Temperatuur overdag	**18-24 °C**
Temperatuur 's nachts	**16-20 °C**
Luchtvochtigheid	**60-90%**
UVB	**Optioneel** Fergusonzone 1
Voeding	**Insecten en kant-en-klaar voer**
Gehouden	**Solitair, in paren of één mannetje met meerdere vrouwtjes**

KWEEK

Voortplanting	**Eierleggend**
Geslachtsrijp	**18-36 maanden**
Legselgrootte	**1-2 eieren**
Legsels per jaar	**5-7**
Incubatie	**60-120 dagen** bij 22-25 °C

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
EU-bijlage	**Niet opgenomen**
IUCN	**Gevoelig (NT)**

Verzorging in het kort

HET TERRARIUM

An adult *Eurydactylodes agricolae* or a pair can be kept in an enclosure of at least 30 × 30 × 45 cm (length × width × height), and taller is always better.

TEMPERATUUR

Eurydactylodes agricolae comes from forests with moderate temperatures and tolerates heat poorly. Keep 18-24 °C by day, and the animals do well at ordinary room temperature. At night the temperature may well fall to 16-20 °C.

LUCHTVOCHTIGHEID EN WATER

The humidity for *Eurydactylodes agricolae* should be moderate to high and fluctuate over the day. Aim for 60-70 % in the daytime and 80-90 % after misting in the evening.

VERLICHTING EN UVB

Eurydactylodes agricolae is active by day and at dusk and likes to bask under the UVB light. Provide a fixed daily rhythm with 10-14 hours of light. UVB is not strictly necessary.

VOEDING

The staple food for *Eurydactylodes agricolae* is a ready-mixed powder diet for fruit-eating New Caledonian geckos, mixed into a smooth paste.

GEDRAG EN OMGANG

Eurydactylodes agricolae is small, quick and fragile and first and foremost an animal to watch. With patience it can get used to brief, calm handling.

NATUURLIJK VERSPREIDINGSGEBIED

Nieuw-Caledonië.