herpy

GEKKO'S

Common Namib Day Gecko

Rhoptropus afer

A small, lightning-fast rock gecko from the Namib Desert, one of the few geckos that is active by day. It has long legs, yellow markings on the throat and the underside of the tail, and feeds on ants and beetles. Almost no husbandry experience exists, so the species is only for the most experienced keepers.

Familie: Gekkonidae Vroegere naam: *Rhoptropus braconnieri*

KERNGEGEVENS

HET DIER

Volwassen grootte	**3-5 cm** kop-romplengte
Gewicht	**2-3,5 g**
Levensduur	**5-8 jaar**
Actief	**Overdag**
Levenswijze	**Rotsbewonend en bodembewonend**
Leefgebied	**Woestijn en rotsachtig terrein**
Moeilijkheidsgraad	**Expert**

VERZORGING

Min. terrarium	**60 × 40 × 40 cm** L × B × H voor 2 volwassen dieren
Temperatuur overdag	**26-30 °C**
Zonneplek	**33-35 °C**
Temperatuur 's nachts	**16-20 °C**
Luchtvochtigheid	**25-45%**
Water	**Geen waterbak**
UVB	**Aanbevolen** Fergusonzone 3
Voeding	**Insecten en kleine ongewervelden (springstaarten, fruitvliegen)**
Gehouden	**Solitair of in paren**

KWEEK

Voortplanting	**Eierleggend**
Legselgrootte	**1-2 eieren**
Incubatie	**56-75 dagen** bij 30 °C

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
EU-bijlage	**Niet opgenomen**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM	Little is known about the care of *Rhoptropus afer*.
TEMPERATUUR	By day the enclosure should be 26-30 °C, and the basking spot on a flat stone may reach 33-35 °C. At night the temperature should fall to 16-20 °C.
LUCHTVOCHTIGHEID EN WATER	Humidity should be low, around 25-45%. The enclosure should be dry, and the substrate must not become wet.
VERLICHTING EN UVB	The species is active by day in open, sunlit terrain, so it needs strong light and UVB.
VOEDING	In the wild the species eats mostly ants and beetles. Give small live insects daily to juveniles and every other day to adults: fruit flies, springtails, newly hatched crickets and small mealworms.
GEDRAG EN OMGANG	*Rhoptropus afer* is fast and shy and should not be handled. It is not an animal to pick up, and a single wrong grip can injure such a small gecko. It uses its tail as a signal and shows the yellow underside to other geckos.
NATUURLIJK VERSPREIDINGSGEBIED	Namibië en Angola.