herpy

ECHTE HAGEDISSEN

## Four-lined Tegu

# *Tupinambis quadrilineatus*

*Tupinambis quadrilineatus* is a medium-sized, diurnal tegu from the Cerrado savannas of central Brazil, recognised by the four long longitudinal stripes along the body. Its care is almost undocumented, and the species is rare in trade. The figures in the guide are borrowed from relatives in *Tupinambis* and *Salvator*: a large, warm enclosure with a deep substrate, UVB and an experienced keeper.

Familie: Teiidae  Vroegere naam: *Tupinambis cerradensis*

KERNGEGEVENS

### HET DIER

| | |
|---|---|
| Volwassen grootte | **23-27 cm**<br>kop-romplengte |
| Levensduur | **10-15 jaar** |
| Actief | **Overdag** |
| Levenswijze | **Bodembewonend** |
| Leefgebied | **Savanne** |
| Moeilijkheidsgraad | **Ervaren** |

### VERZORGING

| | |
|---|---|
| Min. terrarium | **180 × 90 × 90 cm**<br>L × B × H voor 1 volwassen dier |
| Temperatuur overdag | **24-35 °C** |
| Zonneplek | **40-55 °C** |
| Temperatuur ’s nachts | **20-24 °C** |
| Luchtvochtigheid | **60-75%** |
| Water | **Waterbak** |
| UVB | **Onmisbaar**<br>Fergusonzone 3 |
| Voeding | **Insecten, gewervelde dieren en wormen/slakken** |
| Gehouden | **Solitair** |

### KWEEK

| | |
|---|---|
| Voortplanting | **Eierleggend** |
| Legselgrootte | **4-32 eieren** |
| Incubatie | **150-180 dagen**<br>bij 28-32 °C |

### BESCHERMING EN PAPIEREN

| | |
|---|---|
| CITES | **Bijlage II** |
| EU-bijlage | **Bijlage B** |
| IUCN | **Niet bedreigd (LC)** |

## Verzorging in het kort

| | |
|---|---|
| HET TERRARIUM | Almost nothing is known about the care of *Tupinambis quadrilineatus*, and captive breeding is not documented. The climate of its range is warm and savanna-like with a distinct wet and dry season. |
| TEMPERATUUR | The basking spot should have a surface temperature of 40-55 °C, measured with an infrared thermometer. The warm end of the enclosure is 32-35 °C and the cool end 24-29 °C. |
| LUCHTVOCHTIGHEID EN WATER | Humidity is set at 60-75 %, an estimate based on the savanna climate, which is drier than that of the rainforest; the tegus from the Amazon are kept at 70-85 %. |
| VERLICHTING EN UVB | *Tupinambis quadrilineatus* is diurnal and needs strong light and UVB for 12 hours a day. Tegus belong to Ferguson Zone 3, and the figure is borrowed from the relatives. |
| VOEDING | What *Tupinambis quadrilineatus* eats in the wild is not documented. The species of the genus live on a broad diet, mostly animal food, and the figures here are borrowed from them. |
| GEDRAG EN OMGANG | No information exists on the temperament of *Tupinambis quadrilineatus*. |
| NATUURLIJK VERSPREIDINGSGEBIED | Brazilië. |