herpy

KIKKERS

Venezuelan Horned Frog

Ceratophrys calcarata

Ceratophrys calcarata is a broad, nocturnal ambush predator from the dry lowlands of Colombia and Venezuela. It lies buried with only its eyes and mouth showing and snaps up anything that fits in its mouth. The species reaches 6-8 cm, must live alone and is kept like the better-known species of the genus. It bites hard.

Familie: Ceratophryidae

KERNGEGEVENS

HET DIER

Volwassen grootte	**6-8 cm** kop-romplengte
Levensduur	**10-15 jaar**
Actief	**In de schemering en 's nachts**
Levenswijze	**Bodembewonend en gravend**
Leefgebied	**Savanne en droog bos**
Huidgif	**Geen bekend**
Moeilijkheidsgraad	**Gevorderd**

KWEEK

Voortplanting	**Eierleggend**
Ontwikkeling	**Kikkervisjes in het water**
Legplaats	**In het water**
Geslachtsrijp	**18-24 maanden**
Eieren per legsel	**335**
Legsels per jaar	**1**
Uitkomen	**2-4 dagen** bij 24-26 °C
Larvenperiode	**14-30 dagen** van uitkomen tot metamorfose
Voeding van de larven	**Andere kikkervisjes**
Broedzorg	**Geen**

VERZORGING

Min. terrarium	**45 × 45 × 30 cm** L × B × H voor 1 volwassen dier
Temperatuur overdag	**25-28 °C**
Temperatuur 's nachts	**22-24 °C**
Luchtvochtigheid	**60-80%**
Water	**Waterbak**
UVB	**Optioneel** Fergusonzone 1
Voeding	**Insecten, gewervelde dieren en wormen/slakken**
Gehouden	**Solitair**

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM	There is little knowledge about the husbandry of *Ceratophrys calcarata*.
TEMPERATUUR	By day the terrarium is kept at 25-28 °C and at night at 22-24 °C. The lowlands are warm all year, so the temperature should not fall markedly in winter.
LUCHTVOCHTIGHEID EN SPROEIEN	Humidity is kept at 60-80 %. The species comes from dry lowlands but lives in humid conditions during the rainy season, so the substrate must be damp all year. Mist lightly in the evening, so the soil is kept damp but not wet.
WATER EN WATERKWALITEIT	Always provide fresh water in a shallow, heavy bowl that the frog cannot tip over when it digs and that is large enough for the whole animal to lie in.
VERLICHTING EN UVB	UVB is not necessary for *Ceratophrys calcarata*, but the frog gets some UV in the wild, and a weak UVB tube (Ferguson zone 1) can be an advantage.
VOEDING	*Ceratophrys calcarata* eats almost anything that moves and can get into its mouth. In the wild adults eat mostly other frogs.
GEDRAG EN OMGANG	*Ceratophrys calcarata* is a calm, sedentary frog that can lie in the same place for weeks. It is nocturnal.
NATUURLIJK VERSPREIDINGSGEBIED	Colombia en Venezuela.