herpy

KIKKERS

Tomato Frog

Dyscophus antongilii

Dyscophus antongilii is a frog from the north-eastern lowlands of Madagascar: round, stout and uniformly orange to deep red. The female reaches up to 11 cm and over 200 g, the male is smaller and more subdued. It lies buried by day and hunts at night, and it is calm and robust to keep when temperature, humidity and hygiene are in order.

Familie: Microhylidae **Mild huidgif**

KERNGEGEVENS

HET DIER

Volwassen grootte	**7-11 cm** kop-romplengte
Gewicht	**40-230 g**
Levensduur	**6-10 jaar**
Actief	**'s nachts**
Levenswijze	**Bodembewonend en gravend**
Leefgebied	**Regenwoud en moerasgebied**
Huidgif	**Mild** Was je handen na contact en houd je vingers uit de buurt van je ogen en mond
Moeilijkheidsgraad	**Gevorderd**

KWEEK

Voortplanting	**Eierleggend**
Ontwikkeling	**Kikkervisjes in het water**
Legplaats	**In het water**
Geslachtsrijp	**9-24 maanden**
Eieren per legsel	**1.000-1.500**
Uitkomen	**1-2 dagen**
Larvenperiode	**45 dagen** van uitkomen tot metamorfose
Voeding van de larven	**Kant-en-klaar voer**
Broedzorg	**Geen**

VERZORGING

Min. terrarium	**60 × 35 × 35 cm** L × B × H voor 3 volwassen dieren
Temperatuur overdag	**23-27 °C**
Temperatuur 's nachts	**18-21 °C**
Luchtvochtigheid	**60-80%**
Water	**Waterbak**
UVB	**Optioneel** Fergusonzone 1
Voeding	**Insecten en wormen/slakken**
Gehouden	**Solitair, in paren of in groepen**

BESCHERMING EN PAPIEREN

CITES	**Bijlage II**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM
A pair or three animals need a terrarium of at least 60 × 35 × 35 cm (length × width × height). Floor area matters more than height, because *D. antongilii* lives on the ground and digs.

TEMPERATUUR
Dyscophus antongilii tolerates a wide temperature range and does well at ordinary room temperature. By day it must be 23-27 °C and at night 18-21 °C.

LUCHTVOCHTIGHEID EN SPROEIEN
Humidity should be 60-80 %. Mist lightly once a day or every second to third day, depending on how quickly the terrarium dries out, and use a hygrometer.

WATER EN WATERKWALITEIT
Put out a water bowl with dechlorinated water, large enough for the frog to sit in, and at least as deep as the frog is tall. Most frogs bathe in the bowl at night, so change the water every morning.

VERLICHTING EN UVB
The species is nocturnal and does not need UVB, but a weak UVB light (roughly Ferguson zone 1) does no harm and can be provided. For live plants a daylight tube as for aquariums is used.

VOEDING
Dyscophus antongilii eats only live food.

GEDRAG EN OMGANG
Dyscophus antongilii is calm and secretive. It lies buried most of the day and comes out at night. Adults can become somewhat tame, but at best tolerate handling, so pick it up only when necessary.

NATUURLIJK VERSPREIDINGSGEBIED
Madagaskar.

De volledige gids met kaart en updates: herpy.org/en/frogs/dyscophus-antongilii