herpy

KIKKERS

Golden Mantella

Mantella aurantiaca

Mantella aurantiaca is a small, bright orange frog of 20-26 mm that is found only in a few small areas in eastern Madagascar. It is diurnal, thrives in groups and is not difficult to keep when the enclosure is cool and humid. The species is threatened in the wild, so only captive-bred animals should be considered.

Familie: Mantellidae

KERNGEGEVENS

HET DIER

Volwassen grootte	**20-26 mm** kop-romplengte
Levensduur	**4-8 jaar**
Actief	**Overdag**
Levenswijze	**Bodembewonend**
Leefgebied	**Regenwoud en moerasgebied**
Huidgif in het wild	**Mild**
Huidgif in gevangenschap	**Geen** Nakweekdieren. Wildvang kan het gif lang behouden
Moeilijkheidsgraad	**Gevorderd**

KWEEK

Voortplanting	**Eierleggend**
Ontwikkeling	**Kikkervisjes in het water**
Legplaats	**Op de grond**
Geslachtsrijp	**12-14 maanden**
Eieren per legsel	**12-30**
Uitkomen	**2-12 dagen**
Larvenperiode	**42-98 dagen** van uitkomen tot metamorfose
Voeding van de larven	**Algen/planten en kant-en-klaar voer**
Broedzorg	**Geen**

VERZORGING

Min. terrarium	**45 × 45 × 30 cm** L × B × H voor 4 volwassen dieren
Temperatuur overdag	**20-23 °C**
Temperatuur 's nachts	**16-18 °C**
Luchtvochtigheid	**70-100%**
Water	**Waterbak**
UVB	**Optioneel** Fergusonzone 1
Voeding	**Kleine ongewervelden (springstaarten, fruitvliegen)**
Gehouden	**In groepen**

BESCHERMING EN PAPIEREN

CITES	**Bijlage II**
IUCN	**Bedreigd (EN)**

Verzorging in het kort

HET TERRARIUM

Mantella aurantiaca is small but does best with plenty of space, because the males are territorial and fight over breeding and feeding sites.

TEMPERATUUR

By day the enclosure is kept at 20-23 °C with a drop to 16-18 °C at night. A few days outside the range do no harm, but longer periods of warmth cause health problems.

LUCHTVOCHTIGHEID EN SPROEIEN

Humidity must be 70-100 %, but the species tolerates a wide range as long as it always has access to water. Mist the enclosure daily, heavily in warm weather and less in cold periods.

WATER EN WATERKWALITEIT

There must always be a shallow water dish or a shallow water area in the enclosure. Mantellas are poor swimmers, so the water must be so shallow that the frogs easily get out, and the water must not take up much of the enclosure.

VERLICHTING EN UVB

The lighting is first and foremost for the plants. A need for UVB is not documented, but since the species in the wild is active in partial sun, a weak UVB tube is probably an advantage. UVB is therefore set to optional.

VOEDING

Mantella aurantiaca are insectivores and can take relatively large prey, up to about 6 mm.

GEDRAG EN OMGANG

Mantella aurantiaca is diurnal and thrives in groups.

NATUURLIJK VERSPREIDINGSGEBIED

Madagaskar.