herpy

KIKKERS

Climbing Mantella

Mantella laevigata

Mantella laevigata is a small, diurnal frog from the north-eastern rainforests of Madagascar and the only one in the genus that climbs. It is black with a yellow to pale green back and blue spots on the limbs, grows to 2-3 cm and breeds in water-filled bamboo stems and tree holes, where the female feeds the tadpole with unfertilised eggs. It needs a tall, humid and warm terrarium with plenty of branches.

Familie: Mantellidae

KERNGEGEVENS

HET DIER

Volwassen grootte	**2-3 cm** kop-romplengte
Gewicht	**1,2-2 g**
Levensduur	**4-8 jaar**
Actief	**Overdag**
Levenswijze	**Boombewonend en bodembewonend**
Leefgebied	**Regenwoud**
Huidgif in het wild	**Mild**
Huidgif in gevangenschap	**Geen** Nakweekdieren. Wildvang kan het gif lang behouden
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**60 × 50 × 100 cm** L × B × H voor 4 volwassen dieren
Temperatuur overdag	**20-26 °C**
Temperatuur 's nachts	**17-22 °C**
Luchtvochtigheid	**80-100%**
Water	**Waterbak** diepte 1-2 cm
UVB	**Optioneel** Fergusonzone 1
Voeding	**Kleine ongewervelden (springstaarten, fruitvliegen)**
Gehouden	**In paren of één mannetje met meerdere vrouwtjes**

KWEEK

Voortplanting	**Eierleggend**
Ontwikkeling	**Kikkervisjes in het water**
Legplaats	**In bladoksels (bijv. bromelia's)**
Eieren per legsel	**1-3**
Uitkomen	**2-7 dagen**
Larvenperiode	**90 dagen** van uitkomen tot metamorfose
Voeding van de larven	**Algen/planten, onbevruchte eieren van het vrouwtje en andere kikkervisjes**
Broedzorg	**Bewaakt de eieren en voedt de kikkervisjes met eieren**

BESCHERMING EN PAPIEREN

CITES	**Bijlage II**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM	*Mantella laevigata* climbs, so the terrarium must be tall and arranged vertically. The minimum size for a group of four adults is 60 × 50 × 100 cm (length × width × height). Height matters more than floor area.
TEMPERATUUR	During the day the temperature should be 20-26 °C, and at night it falls 2-4 degrees to 17-22 °C. The daytime temperature may reach 27 °C, and for shorter periods the species tolerates up to 30 °C and down to 17-18 °C.
LUCHTVOCHTIGHEID EN SPROEIEN	The humidity should be 80-100 %. Mist the terrarium with dechlorinated water or rainwater every day, especially in the period when the species is to breed. The bottom should be damp, but never waterlogged.
WATER EN WATERKWALITEIT	Place one or more shallow water bowls in the terrarium, and keep them filled at all times. The depth is 1-2 cm, so the animals can easily climb out.
VERLICHTING EN UVB	The light should suit the plants, but must not heat up the terrarium. Provide a 10-12 hour day and darkness at night.
VOEDING	The staple food is small arthropods: springtails, fruit flies, newly hatched crickets, termites and small ants. Juveniles get springtails.
GEDRAG EN OMGANG	Males are relatively bold and call openly to defend their territory, while females are more withdrawn. Males fight over territories with wrestling, chasing and leaping.
NATUURLIJK VERSPREIDINGSGEBIED	Madagaskar.