herpy

KIKKERS

Black-eared Mantella

Mantella milotympanum

Mantella milotympanum is one of the smallest frogs in the genus, under 23 mm, from a few swamp forests in east-central Madagascar. It is uniformly red to orange-red with a black patch above each eardrum. The species is critically endangered in the wild and is kept like its close relatives: cool and humid.

Familie: Mantellidae

KERNGEGEVENS

HET DIER

Volwassen grootte	**18-23 mm** kop-romplengte
Levensduur	**4-8 jaar**
Actief	**Overdag**
Levenswijze	**Bodembewonend**
Leefgebied	**Regenwoud, bergbos en moerasgebied**
Huidgif in het wild	**Mild**
Huidgif in gevangenschap	**Geen** Nakweekdieren. Wildvang kan het gif lang behouden
Moeilijkheidsgraad	**Gevorderd**

KWEEK

Voortplanting	**Eierleggend**
Ontwikkeling	**Kikkervisjes in het water**
Legplaats	**Op de grond**
Geslachtsrijp	**12-14 maanden**
Eieren per legsel	**12-30**
Uitkomen	**2-12 dagen**
Larvenperiode	**42-98 dagen** van uitkomen tot metamorfose
Voeding van de larven	**Algen/planten en kant-en-klaar voer**
Broedzorg	**Geen**

VERZORGING

Min. terrarium	**45 × 45 × 30 cm** L × B × H voor 4 volwassen dieren
Temperatuur overdag	**20-23 °C**
Temperatuur ’s nachts	**16-18 °C**
Luchtvochtigheid	**70-100%**
Water	**Waterbak**
UVB	**Optioneel** Fergusonzone 1
Voeding	**Kleine ongewervelden (springstaarten, fruitvliegen)**
Gehouden	**In groepen**

BESCHERMING EN PAPIEREN

CITES	**Bijlage II**
IUCN	**Ernstig bedreigd (CR)**

Verzorging in het kort

HET TERRARIUM	Little is known about the care of *Mantella milotympanum*.
TEMPERATUUR	During the day the temperature should be 20-23 °C, and at night 16-18 °C.
LUCHTVOCHTIGHEID EN SPROEIEN	Humidity should be 70-100 %. Mist the enclosure daily with rainwater, reverse osmosis water or tap water treated against chlorine and heavy metals, heavily in warm weather and less when it is cool.
WATER EN WATERKWALITEIT	There should always be a shallow water bowl in the enclosure. Mantellas are poor swimmers, so the bowl must be so shallow that the frogs can easily get out, and it must not take up much of the floor.
VERLICHTING EN UVB	A UVB requirement is not documented. A weak UVB light in Ferguson zone 1 is probably an advantage, provided there is shade and plants so the animals can choose. The light should not give off heat.
VOEDING	*Mantella milotympanum* is an insectivore and, like the rest of the genus, can take relatively large prey up to about 6 mm.
GEDRAG EN OMGANG	*Mantella milotympanum* is diurnal and bold for such a small frog. It hunts and patrols its territory for most of the day.
NATUURLIJK VERSPREIDINGSGEBIED	Madagaskar.