herpy

KIKKERS

Fea's Treefrog

Zhangixalus feae

Zhangixalus feae is one of the largest flying frogs: a sturdy, green tree frog of up to 12 cm from humid mountain forest in northern South-East Asia, from Yunnan and Myanmar through Thailand and Laos to Vietnam. The frog glides between the branches with full webbing on hands and feet and lives hidden in the tree canopy. Very little is known about its care in captivity.

Familie: Rhacophoridae Vroegere naam: *Rhacophorus feae; Polypedates feae*

KERNGEGEVENS

HET DIER

Volwassen grootte	**7-12 cm** kop-romplengte
Levensduur	**5-10 jaar**
Actief	**In de schemering en 's nachts**
Levenswijze	**Boombewonend**
Leefgebied	**Regenwoud en bergbos**
Huidgif	**Geen bekend**
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**80 × 50 × 100 cm** L × B × H voor 2 volwassen dieren
Temperatuur overdag	**20-24 °C**
Temperatuur 's nachts	**15-20 °C**
Luchtvochtigheid	**60-90%**
Water	**Waterbak** diepte 3-5 cm
UVB	**Aanbevolen** Fergusonzone 2
Voeding	**Insecten**
Gehouden	**Solitair, in paren of in groepen**

KWEEK

Voortplanting	**Eierleggend**
Ontwikkeling	**Kikkervisjes in het water**
Legplaats	**In een schuimnest**
Eieren per legsel	**1.000-3.500**
Uitkomen	**5-7 dagen**
Larvenperiode	**35-45 dagen** van uitkomen tot metamorfose
Voeding van de larven	**Kant-en-klaar voer**
Broedzorg	**Geen**

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM	Little is known about keeping *Zhangixalus feae*.
TEMPERATUUR	By day the temperature should be 20-24 °C and at night 15-20 °C, corresponding to a cooler living room. The temperature must not exceed 27 °C for any length of time.
LUCHTVOCHTIGHEID EN SPROEIEN	Humidity should be 60-90 %, lowest by day and highest at night. Live plants keep the air humid, because they release water at night.
WATER EN WATERKWALITEIT	Place a large, shallow water bowl in the terrarium, which the frog can sit in freely. The water should be 3-5 cm deep, so that the frog easily gets out again.
VERLICHTING EN UVB	The species is arboreal and active at dusk, and a weak UVB source is recommended. A T5 tube with a low UVB share that gives a UV index of 1-3 on the uppermost leaves (Ferguson zone 2) is suitable.
VOEDING	*Zhangixalus feae* eats live insects. Use crickets as the main food, supplemented with grasshoppers and cockroaches. All food must be gut-loaded and dusted with calcium, now and then with a vitamin supplement containing D3.
GEDRAG EN OMGANG	The species is active at night and at dusk and sits hidden among the leaves by day. The frog is large and powerful and jumps and glides wildly when startled, so it should be handled as little as possible.
NATUURLIJK VERSPREIDINGSGEBIED	China, Laos, Myanmar (Birma), Thailand en Vietnam.