herpy

PIJLGIFKIKKERS

Red-headed Poison Frog

Ranitomeya fantastica

Ranitomeya fantastica is a diurnal poison frog of 20-25 mm from northern Peru and one of the largest in the genus. It is unusually variable, and many forms have a bright orange, red or yellow head above a black body with light markings. The frogs are lightning-fast and often shy, the eggs are hard to find, and the species is best suited to a keeper who already has experience with poison frogs.

Familie: Dendrobatidae Vroegere naam: *Dendrobates fantasticus*

KERNGEGEVENS

HET DIER

Volwassen grootte	**20-25 mm** kop-romplengte
Levensduur	**5-10 jaar**
Actief	**Overdag**
Levenswijze	**Boombewonend en bodembewonend**
Leefgebied	**Regenwoud**
Huidgif in het wild	**Mild**
Huidgif in gevangenschap	**Geen** Nakweekdieren. Wildvang kan het gif lang behouden
Moeilijkheidsgraad	**Gevorderd**

KWEEK

Voortplanting	**Eierleggend**
Ontwikkeling	**Kikkervisjes worden naar het water gedragen**
Legplaats	**Op de grond**
Eieren per legsel	**3-8**
Uitkomen	**10-14 dagen**
Larvenperiode	**60-80 dagen** van uitkomen tot metamorfose
Voeding van de larven	**Algen/planten en kant-en-klaar voer**
Broedzorg	**Bewaakt de eieren en draagt de kikkervisjes**

VERZORGING

Min. terrarium	**40 × 40 × 40 cm** L × B × H voor 3 volwassen dieren
Temperatuur overdag	**21-26 °C**
Temperatuur 's nachts	**18-22 °C**
Luchtvochtigheid	**70-100%**
Water	**Waterbak** diepte 1-2 cm
UVB	**Optioneel**
Voeding	**Kleine ongewervelden (springstaarten, fruitvliegen)**
Gehouden	**In paren of in groepen**

BESCHERMING EN PAPIEREN

CITES	**Bijlage II**
IUCN	**Kwetsbaar (VU)**

Verzorging in het kort

HET TERRARIUM	A pair or trio of *R. fantastica* can be kept in an enclosure of 40 × 40 × 40 cm. Bigger is better. Many forms are arboreal and use the height.
TEMPERATUUR	Keep the enclosure at 21-26 °C by day and 18-22 °C at night. The temperature must not exceed 27 °C for long periods, and above 29 °C can be fatal. Heat is more dangerous than cold.
LUCHTVOCHTIGHEID EN SPROEIEN	Humidity should be 70-100 %. A good rhythm is almost 100 % morning and evening and 70-75 % in the middle of the day, so the enclosure is allowed to dry out a little between mistings.
WATER EN WATERKWALITEIT	A shallow water dish or a bromeliad with water in the leaf axils is enough.
VERLICHTING EN UVB	*R. fantastica* is diurnal, and the lighting is first and foremost for the plants. Give 12-14 hours of light a day and darkness at night. It is not documented that the species needs UVB.
VOEDING	The staple food is small arthropods. Juveniles and adults take wingless fruit flies (*Drosophila melanogaster*), and large adults can also take the larger *D. hydei*.
GEDRAG EN OMGANG	*R. fantastica* is diurnal, lightning-fast and often shy, but many animals become bolder when they breed. You see most of them in a densely planted enclosure with hiding places.
NATUURLIJK VERSPREIDINGSGEBIED	Peru.

De volledige gids met kaart en updates: herpy.org/en/poison-dart-frogs/ranitomeya-fantastica