herpy

SALAMANDERS EN WATERSALAMANDERS

Smooth Newt

Lissotriton vulgaris

Lissotriton vulgaris is a small, adaptable newt of 8-11 cm that spends most of the year on land and enters the water only to breed. In spring the male develops a wavy dorsal crest and strong colours. The species is hardy in a cool aquaterrarium with a winter rest, and it readily lays eggs, so the whole life cycle can be followed.

Familie: Salamandridae Vroegere naam: *Triturus vulgaris* **Mild huidgif**

KERNGEGEVENS

HET DIER

Volwassen grootte	**8-11 cm** totale lengte incl. staart
Gewicht	**0,3-5,2 g**
Levensduur	**4-14 jaar**
Actief	**In de schemering en ’s nachts**
Levenswijze	**Semi-aquatisch**
Leefgebied	**Moerasgebied en gematigd bos en grasland**
Huidgif	**Mild** Was je handen na contact en houd je vingers uit de buurt van je ogen en mond
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**60 × 30 × 30 cm** L × B × H voor 4 volwassen dieren
Temperatuur overdag	**12-20 °C**
Temperatuur ’s nachts	**8-15 °C**
Luchtvochtigheid	**80-100%**
Water	**Aquaterrarium** diepte 10-20 cm
Watertemperatuur	**10-20 °C**
UVB	**Niet nodig**
Winterrust	**5-10 °C** 8-12 weken
Voeding	**Insecten, kleine ongewervelden (springstaarten, fruitvliegen) en wormen/slakken**
Gehouden	**In paren of in groepen**

KWEEK

Voortplanting	**Eierleggend**
Ontwikkeling	**Larven in het water**
Legplaats	**In het water**
Geslachtsrijp	**24-36 maanden**
Eieren per seizoen	**100-500**
Uitkomen	**8-35 dagen**
Larvenperiode	**42-120 dagen** van uitkomen tot metamorfose
Voeding van de larven	**Kleine waterongewervelden (watervlooien, muggenlarven)**
Broedzorg	**Geen**

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
EU-bijlage	**Niet opgenomen**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM
Adults need both a water section and a land section. An aquaterrarium of 60 × 30 × 30 cm suits up to 4 adults, and larger is better: more water surface gives the animals room in the breeding season.

TEMPERATUUR
Lissotriton vulgaris is cool-loving. The daytime temperature is 12-20 °C and the night-time temperature 8-15 °C.

LUCHTVOCHTIGHEID EN SPROEIEN
The soft skin dries out quickly, so the land section must be kept damp, with a humidity of 80-100 %.

WATER EN WATERKWALITEIT
The water section must be 10-20 cm deep and 10-20 °C. Use dechlorinated tap water, tap water that has stood for a few days, or rainwater; the species is not fussy about pH, but chlorine is harmful.

VERLICHTING EN UVB
UVB is not necessary for the species, which lives hidden and is active at dusk and at night. The animals avoid sun.

VOEDING
Lissotriton vulgaris eats all small animals it can swallow. On land, adults are given small earthworms, small slugs, woodlice, white worms, aphids, fruit flies and small crickets.

GEDRAG EN OMGANG
The species is peaceful and can be kept in pairs or in groups with more females than males. In the breeding season the males pursue the females, so more females than males, many plants and good hides give peace.

NATUURLIJK VERSPREIDINGSGEBIED
Ierland, Verenigd Koninkrijk, Frankrijk, België, Nederland, Luxemburg, Duitsland, Denemarken, Noorwegen, Zweden, Finland, Estland, Letland, Litouwen, Polen, Tsjechië, Slowakije, Oostenrijk, Zwitserland, Italië, Slovenië, Kroatië, Hongarije, Roemenië, Bulgarije, Servië, Oekraïne, Belarus, Moldavië, Rusland en Kazachstan.