Italian Crested Newt

Triturus carnifex

Triturus carnifex is a robust crested newt of 12-18 cm from Italy, the southern Alps and the north-western Balkans. It has warty, dark skin and a yellow or orange belly with large, blurred black spots, and the female often has a yellow stripe along the back. In spring the male develops a tall, serrated crest. The species is hardy and easy to keep and breed.

Familie: Salamandridae Vroegere naam: *Salamandra carnifex; Salamandra platycauda* **Mild huidgif**

KERNGEGEVENS

HET DIER

Volwassen grootte	**12-18 cm** totale lengte incl. staart
Levensduur	**7-17 jaar**
Actief	**In de schemering en 's nachts**
Levenswijze	**Semi-aquatisch**
Leefgebied	**Moerasgebied en gematigd bos en grasland**
Huidgif	**Mild** Was je handen na contact en houd je vingers uit de buurt van je ogen en mond
Moeilijkheidsgraad	**Beginner**

VERZORGING

Min. terrarium	**45 × 30 × 30 cm** L × B × H voor 4 volwassen dieren
Temperatuur overdag	**12-20 °C**
Temperatuur 's nachts	**8-15 °C**
Luchtvochtigheid	**70-95%**
Water	**Aquaterrarium** diepte 15-30 cm
Watertemperatuur	**10-20 °C**
UVB	**Niet nodig**
Winterrust	**4-10 °C** 6-12 weken
Voeding	**Insecten en wormen/slakken**
Gehouden	**In paren of in groepen**

KWEEK

Voortplanting	**Eierleggend**
Ontwikkeling	**Larven in het water**
Legplaats	**In het water**
Geslachtsrijp	**12-36 maanden**
Eieren per seizoen	**150-400**
Uitkomen	**14-35 dagen**
Larvenperiode	**56-112 dagen** van uitkomen tot metamorfose
Voeding van de larven	**Kant-en-klaar voer, andere larven en kleine waterongewervelden (watervlooien, muggenlarven)**
Broedzorg	**Geen**

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
EU-bijlage	**Niet opgenomen**
IUCN	**Kwetsbaar (VU)**

Verzorging in het kort

HET TERRARIUM	*Triturus carnifex* can be kept following its natural cycle with an aquatic phase and a terrestrial phase, or in water all year.
TEMPERATUUR	*Triturus carnifex* loves cool conditions. The water must be kept below 25 °C, as in warmer water the animals try to leave it. The animals are fully active down to about 10 °C.
LUCHTVOCHTIGHEID EN SPROEIEN	In the aquatic phase humidity is no problem. In the terrestrial phase the soft skin dries out quickly, so the substrate must be kept moist, with a humidity of 70-95 %.
WATER EN WATERKWALITEIT	A water depth of 15 cm is enough, and deeper is fine: 15-30 cm gives the animals room to swim. The water is kept at 10-20 °C.
VERLICHTING EN UVB	The animals are nocturnal and do not need UVB or artificial light for their own sake. The plants need light to grow, and an ordinary aquarium lamp is enough.
VOEDING	In the aquatic phase *T. carnifex* takes a wide range of food: earthworms, freshwater shrimps (*Gammarus*), bloodworms, daphnia and white worms.
GEDRAG EN OMGANG	*Triturus carnifex* is robust and easy to keep. In the water the animals snap hard at anything that moves, including each other during feeding, and in the wild they also eat smaller amphibians.
NATUURLIJK VERSPREIDINGSGEBIED	Italië, Zwitserland, Oostenrijk, Slovenië, Kroatië en Bosnië en Herzegovina.