Danube Crested Newt

Triturus dobrogicus

Triturus dobrogicus is a slender crested newt, 13-18 cm long, from the Danube basin and the plains of the large rivers. It is the smallest and most aquatic of the crested newts, with an orange to red belly and sharply defined black spots. The male develops a serrated crest in spring. The species is rare in captivity, and its care follows that of the other crested newts.

Familie: Salamandridae **Mild huidgif**

KERNGEGEVENS

HET DIER

Volwassen grootte	**13-18 cm** totale lengte incl. staart
Levensduur	**7-17 jaar**
Actief	**In de schemering en 's nachts**
Levenswijze	**Semi-aquatisch**
Leefgebied	**Moerasgebied en gematigd bos en grasland**
Huidgif	**Mild** Was je handen na contact en houd je vingers uit de buurt van je ogen en mond
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**45 × 30 × 30 cm** L × B × H voor 4 volwassen dieren
Temperatuur overdag	**12-20 °C**
Temperatuur 's nachts	**8-15 °C**
Luchtvochtigheid	**70-95%**
Water	**Aquaterrarium** diepte 15-30 cm
Watertemperatuur	**10-20 °C**
UVB	**Niet nodig**
Winterrust	**4-10 °C** 6-12 weken
Voeding	**Insecten en wormen/slakken**
Gehouden	**In paren of in groepen**

KWEEK

Voortplanting	**Eierleggend**
Ontwikkeling	**Larven in het water**
Legplaats	**In het water**
Geslachtsrijp	**12-36 maanden**
Eieren per seizoen	**200**
Uitkomen	**14-35 dagen**
Larvenperiode	**60-120 dagen** van uitkomen tot metamorfose
Voeding van de larven	**Kant-en-klaar voer, andere larven en kleine waterongewervelden (watervlooien, muggenlarven)**
Broedzorg	**Geen**

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
EU-bijlage	**Niet opgenomen**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM	Little is known about the care of *Triturus dobrogicus*, and the species is rare in captivity.
TEMPERATUUR	*Triturus dobrogicus* loves cool conditions. The water is kept at 10-20 °C and must never become warmer; the animals are active down to about 5 °C.
LUCHTVOCHTIGHEID EN SPROEIEN	In the aquatic phase humidity is not a problem. In the land phase the soft skin dries out quickly, so the substrate must be damp, with a humidity of 70-95%.
WATER EN WATERKWALITEIT	Water depth is 15-30 cm, and the water is kept at 10-20 °C. The species is used to river water and tolerates many kinds of water, but chlorine harms it; tap water that has stood for a couple of days is unproblematic.
VERLICHTING EN UVB	The animals are nocturnal and do not need UVB. The plants need light to grow, and an ordinary aquarium lamp is enough.
VOEDING	In the water *T. dobrogicus* takes earthworms, freshwater shrimp (*Gammarus*), bloodworms, daphnia and white worms. Frozen bloodworms and fish food are also taken, but often have to be offered with tweezers at first.
GEDRAG EN OMGANG	*Triturus dobrogicus* is nocturnal and hides in vegetation by day. In the water the animals snap at anything that moves, including each other during feeding, and in the wild they also eat smaller newts and tadpoles.
NATUURLIJK VERSPREIDINGSGEBIED	Oostenrijk, Tsjechië, Slowakije, Hongarije, Slovenië, Kroatië, Bosnië en Herzegovina, Servië, Roemenië, Oekraïne, Bulgarije en Moldavië.