herpy

LANDSCHILDPADDEN EN WATERSCHILDPADDEN

Asian Leaf Turtle

Cyclemys dentata

A dark brown, leaf-shaped turtle from forest streams and damp forest in South-East Asia. The shell is low-domed and serrated at the rear, and the head and neck have red to orange stripes. Adults spend most of their time on land, while the young live in the water. The species needs a large, humid aquaterrarium and clean water, and it is shy.

Familie: Geoemydidae Vroegere naam: *Cyclemys dhor; Cyclemys orbiculata; Cyclemys ovata*

KERNGEGEVENS

HET DIER

Volwassen grootte	**15-25 cm** totale lengte incl. staart
Levensduur	**15-25 jaar**
Actief	**In de schemering en ’s nachts**
Levenswijze	**Semi-aquatisch**
Leefgebied	**Regenwoud en moerasgebied**
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**130 × 65 × 75 cm** L × B × H voor 1 volwassen dier
Temperatuur overdag	**24-27 °C**
Zonneplek	**30-32 °C**
Temperatuur ’s nachts	**22-25 °C**
Luchtvochtigheid	**70-90%**
Water	**Aquaterrarium** diepte 15-20 cm
Watertemperatuur	**22-26 °C**
UVB	**Aanbevolen** Fergusonzone 1
Voeding	**Insecten, fruit, kant-en-klaar voer, gewervelde dieren en wormen/slakken**
Gehouden	**Solitair**

KWEEK

Voortplanting	**Eierleggend**
Geslachtsrijp	**84-120 maanden**
Legselgrootte	**2-4 eieren**
Legsels per jaar	**1-5**
Incubatie	**90-110 dagen** bij 26-28 °C

BESCHERMING EN PAPIEREN

CITES	**Bijlage II**
EU-bijlage	**Bijlage B**
IUCN	**Gevoelig (NT)**

Verzorging in het kort

HET TERRARIUM

There is little husbandry knowledge about *Cyclemys dentata*, and it is based on experience from the hobby, not on studies. The set-up is therefore also based on the species' habitat in forest streams.

TEMPERATUUR

By day the air should be 24-27 °C, and the basking spot should be 30-32 °C. At night 22-25 °C is suitable. The water is kept at 22-26 °C; this figure is an estimate based on the air temperature.

LUCHTVOCHTIGHEID EN WATER

Humidity should be 70-90%, preferably around 80% by day and higher at night. It is maintained by misting twice a day, a thick, damp substrate layer with leaf litter, and damp hides filled with sphagnum at the cool end.

VERLICHTING EN UVB

The species is a forest dweller and needs weak UVB with shade for the rest. Use a T5 UVB tube for shade-dwellers (Ferguson zone 1), e.g. 5-6%, in a reflective fitting above the land section and the basking spot.

VOEDING

The species is omnivorous and eats both animals and plants. Juveniles are fed every day or every other day, adults 2-3 times a week depending on body condition.

GEDRAG EN OMGANG

Cyclemys dentata is shy and hides a great deal, and the species is not suited to handling. If you want contact, feed with tongs. Keep the animals singly, and provide plenty of hiding places and plants to avoid stress.

NATUURLIJK VERSPREIDINGSGEBIED

Bangladesh, Myanmar (Birma), Thailand, Cambodja, Vietnam, Maleisië, Singapore, Indonesië, Brunei en Filipijnen.