herpy

SKINKEN

Cunningham's Skink

Egernia cunninghami

A large, diurnal and highly social skink with a spiny tail from temperate south-eastern Australia. *Egernia cunninghami* lives in family groups in rock crevices, gives birth to live young and hibernates during the cold months. It needs a large, sunlit enclosure with solid rock structures and UVB.

Familie: Scincidae Vroegere naam: *Tiliqua cunninghami*

KERNGEGEVENS

HET DIER

Volwassen grootte	**30-40 cm** totale lengte incl. staart
Gewicht	**200-350 g**
Levensduur	**20-27 jaar**
Actief	**Overdag**
Levenswijze	**Rotsbewonend**
Leefgebied	**Rotsachtig terrein en gematigd bos en grasland**
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**120 × 60 × 60 cm** L × B × H voor 2 volwassen dieren
Temperatuur overdag	**24-30 °C**
Zonneplek	**35-40 °C**
Temperatuur ’s nachts	**12-18 °C**
Luchtvochtigheid	**40-60%**
Water	**Waterbak**
UVB	**Onmisbaar** Fergusonzone 3
Voeding	**Insecten, fruit, planten en wormen/slakken**
Gehouden	**In paren of in groepen**

KWEEK

Voortplanting	**Levendbarend**
Geslachtsrijp	**60 maanden**
Worpgrootte	**1-8 jongen**
Legsels per jaar	**1**
Draagtijd	**90 dagen**

BESCHERMING EN PAPIEREN

CITES	**Bijlage III**
EU-bijlage	**Bijlage C**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM	*Egernia cunninghami* is a large species, and it needs a spacious terrarium. A pair needs at least 120 × 60 × 60 cm (length × width × height). A small group of one male and three to four females needs more.
TEMPERATUUR	By day the air should be 24-30 °C with a clear gradient from the cool to the warm end.
LUCHTVOCHTIGHEID EN WATER	*Egernia cunninghami* comes from temperate rocky forests, and a humidity of 40-60 % is suitable. Mist the enclosure lightly a couple of times a week, and keep a damp hide at the cool end so that the animal can choose for itself.
VERLICHTING EN UVB	*Egernia cunninghami* is diurnal, basks a lot and needs UVB for as long as the light is on.
VOEDING	*Egernia cunninghami* is omnivorous, but adults are mainly herbivores: in the wild more than 90 % of their food consists of plant material. Young animals eat far more arthropods.
GEDRAG EN OMGANG	*Egernia cunninghami* is one of the most social reptiles: it lives in long-lasting family groups.
NATUURLIJK VERSPREIDINGSGEBIED	Australië.