herpy

SKINKEN

Blanchard's Helmet Skink

Tribolonotus blanchardi

Tribolonotus blanchardi is a very small skink from the forests of the Solomon Islands and Bougainville. It measures only 3-4 cm from snout to vent, lives hidden in the damp leaf litter along small forest streams and lays one egg at a time. Little is known about the species and its care.

Familie: Scincidae

KERNGEGEVENS

HET DIER

Volwassen grootte	**3-4 cm** kop-romplengte
Levensduur	**10 jaar**
Actief	**Overdag en in de schemering**
Levenswijze	**Bodembewonend en gravend**
Leefgebied	**Regenwoud en bergbos**
Moeilijkheidsgraad	**Ervaren**

VERZORGING

Min. terrarium	**45 × 30 × 30 cm** L × B × H voor 1 volwassen dier
Temperatuur overdag	**24-26 °C**
Temperatuur ’s nachts	**20-22 °C**
Luchtvochtigheid	**80-90%**
Water	**Waterbak**
UVB	**Aanbevolen** Fergusonzone 1
Voeding	**Insecten en kleine ongewervelden (springstaarten, fruitvliegen)**
Gehouden	**Solitair of in paren**

KWEEK

Voortplanting	**Eierleggend**
Legselgrootte	**1 eieren**
Incubatie	**65-85 dagen** bij 23-27 °C

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
EU-bijlage	**Niet opgenomen**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM	Little is known about the care of *Tribolonotus blanchardi*.
TEMPERATUUR	*Tribolonotus blanchardi* does not use basking spots. Keep 24-26 °C by day without a basking spot and 20-22 °C at night.
LUCHTVOCHTIGHEID EN WATER	*Tribolonotus blanchardi* tolerates drying out very badly. The humidity must be high, 80-90 %, and the substrate must always be damp. Mist morning and evening, or use an automatic rain system.
VERLICHTING EN UVB	*Tribolonotus blanchardi* lives hidden in the leaf litter in shaded forest.
VOEDING	*Tribolonotus blanchardi* eats insects. Offer small prey: small crickets, fruit flies, springtails, small cockroaches and small earthworms.
GEDRAG EN OMGANG	*Tribolonotus blanchardi* is shy and spends most of its time hidden. It is an animal to watch and not for handling. Give a new animal at least two weeks in peace.
NATUURLIJK VERSPREIDINGSGEBIED	Salomonseilanden en Papoea-Nieuw-Guinea.