herpy

SKINKEN

Schmidt's Crocodile Skink

Tribolonotus schmidti

Tribolonotus schmidti is a small, shy skink from Guadalcanal in the Solomon Islands with two rows of plate-like scales down the back. It lives hidden in the damp leaf litter of the forest floor and gives birth to live young, one at a time, unlike the two better-known relatives, which lay eggs.

Familie: Scincidae Vroegere naam: *Pediporus schmidti*

KERNGEGEVENS

HET DIER

Volwassen grootte	**9-10 cm** totale lengte incl. staart
Levensduur	**8-10 jaar**
Actief	**Overdag en in de schemering**
Levenswijze	**Bodembewonend en gravend**
Leefgebied	**Regenwoud en bergbos**
Moeilijkheidsgraad	**Gevorderd**

VERZORGING

Min. terrarium	**60 × 45 × 45 cm** L × B × H voor 1 volwassen dier
Temperatuur overdag	**24-27 °C**
Zonneplek	**27-28 °C**
Temperatuur ’s nachts	**22-24 °C**
Luchtvochtigheid	**70-90%**
Water	**Waterbak**
UVB	**Aanbevolen** Fergusonzone 1
Voeding	**Insecten en wormen/slakken**
Gehouden	**Solitair of in paren**

KWEEK

Voortplanting	**Levendbarend**
Worpgrootte	**1 jongen**
Draagtijd	**65-85 dagen**

BESCHERMING EN PAPIEREN

CITES	**Niet opgenomen**
EU-bijlage	**Niet opgenomen**
IUCN	**Niet bedreigd (LC)**

Verzorging in het kort

HET TERRARIUM	Little is known about the care of *Tribolonotus schmidti*.
TEMPERATUUR	Keep the terrarium for *Tribolonotus schmidti* at 24-27 °C by day, with a warm hide at 27-28 °C, and let the temperature fall to 22-24 °C at night.
LUCHTVOCHTIGHEID EN WATER	For *Tribolonotus schmidti* the humidity should be 70-90 %, and the substrate must always be damp.
VERLICHTING EN UVB	*Tribolonotus schmidti* sleeps at night and is probably active by day and at dusk in the shaded leaf litter. UVB is not documented for the species, but a weak UVB light (Ferguson zone 1) is recommended, following the relatives.
VOEDING	*Tribolonotus schmidti* is insectivorous. The staple diet can be crickets, cockroaches, mealworms, small larvae and earthworms. Snails and worms can be offered for variety. Young animals are fed every day, adults every other day.
GEDRAG EN OMGANG	*Tribolonotus schmidti* is a shy skink that lives hidden, and it is an animal to watch and not for handling. The genus can make sounds, but this is not documented for the species. Give a new animal at least two weeks in peace.
NATUURLIJK VERSPREIDINGSGEBIED	Salomonseilanden.