herpy

GEKONY

Slender feather-tailed gecko

Kolekanos plumicauda

Kolekanos plumicauda is a small, slender, nocturnal gecko from the dry regions of south-western Angola, with a tail that resembles a feather. It lives in dry, open scrub and among rocks, and almost nothing is known about its care, so this guide draws on climate, habitat and related species.

Rodzina: Gekkonidae Dawna nazwa: *Afrogecko plumicaudus; Kolekanos plumicaudus*

NAJWAŻNIEJSZE FAKTY

ZWIERZĘ

Wielkość dorosłego osobnika	**7-8 cm** długość całkowita z ogonem
Długość życia	**5-10 lat**
Aktywność	**W nocy**
Tryb życia	**Nadrzewny i skalny**
Środowisko	**Półpustynia i tereny skaliste**
Trudność	**Doświadczony**

HODOWLA

Min. terrarium	**40 × 30 × 40 cm** D × S × W dla 2 dorosłych osobników
Temperatura w dzień	**24-28 °C**
Miejsce wygrzewania	**30-32 °C**
Temperatura w nocy	**18-22 °C**
Wilgotność	**30-50%**
UVB	**Opcjonalne** Strefa Fergusona 1
Pokarm	**Owady**
Utrzymanie	**Pojedynczo lub w parach**

ROZMNAŻANIE

Rozmnażanie	**Jajorodny**
Wielkość zniesienia	**1-2 jaj**
Inkubacja	**60-90 dni** przy 24-28 °C

OCHRONA I FORMALNOŚCI

CITES	**Niewymieniony**
Załącznik unijny	**Niewymieniony**
IUCN	**Najmniejszej troski (LC)**

Hodowla w skrócie

TERRARIUM	Almost nothing is known about the care of *Kolekanos plumicauda*, and the species is hardly kept outside research.
TEMPERATURA	By day the enclosure should be 24-28 °C, and a small, warm rock surface or branch may reach 30-32 °C. At night the temperature falls to 18-22 °C. A natural difference between day and night is an advantage.
WILGOTNOŚĆ I WODA	Keep the air dry, around 30-50 %, and let a few hides hold slightly more moisture so that shedding goes smoothly. Let the surfaces dry out during the day.
OŚWIETLENIE I UVB	The species is nocturnal and lives hidden by day. UVB is not documented as necessary, but a weak UVB light for shade-dwelling animals (Ferguson Zone 1) can be given over one end, so that the rest of the enclosure is shaded.
ŻYWIENIE	The species is insectivorous. Offer small crickets, small locusts, small cockroaches and the occasional waxworm. Feeder insects must not be longer than the distance between the animal's eyes.
ZACHOWANIE I OBCHODZENIE SIĘ ZE ZWIERZĘCIEM	*Kolekanos plumicauda* is quick and jumpy and not an animal for handling. When uneasy, it often raises its tail and waves the tip, and if startled it leaps between the branches. Never grab it by the tail.
NATURALNY ZASIĘG	Angola.