herpy

GEKONY

Common Namib Day Gecko

Rhoptropus afer

A small, lightning-fast rock gecko from the Namib Desert, one of the few geckos that is active by day. It has long legs, yellow markings on the throat and the underside of the tail, and feeds on ants and beetles. Almost no husbandry experience exists, so the species is only for the most experienced keepers.

Rodzina: Gekkonidae Dawna nazwa: *Rhoptropus braconnieri*

NAJWAŻNIEJSZE FAKTY

ZWIERZĘ

Wielkość dorosłego osobnika	**3-5 cm** długość od pyska do kloaki
Waga	**2-3,5 g**
Długość życia	**5-8 lat**
Aktywność	**Za dnia**
Tryb życia	**Skalny i naziemny**
Środowisko	**Pustynia i tereny skaliste**
Trudność	**Ekspert**

HODOWLA

Min. terrarium	**60 × 40 × 40 cm** D × S × W dla 2 dorosłych osobników
Temperatura w dzień	**26-30 °C**
Miejsce wygrzewania	**33-35 °C**
Temperatura w nocy	**16-20 °C**
Wilgotność	**25-45%**
Woda	**Bez miski z wodą**
UVB	**Zalecane** Strefa Fergusona 3
Pokarm	**Owady i małe bezkręgowce (skoczogonki, muszki owocowe)**
Utrzymanie	**Pojedynczo lub w parach**

ROZMNAŻANIE

Rozmnażanie	**Jajorodny**
Wielkość zniesienia	**1-2 jaj**
Inkubacja	**56-75 dni** przy 30 °C

OCHRONA I FORMALNOŚCI

CITES	**Niewymieniony**
Załącznik unijny	**Niewymieniony**
IUCN	**Najmniejszej troski (LC)**

Hodowla w skrócie

TERRARIUM	Little is known about the care of *Rhoptropus afer*.
TEMPERATURA	By day the enclosure should be 26-30 °C, and the basking spot on a flat stone may reach 33-35 °C. At night the temperature should fall to 16-20 °C.
WILGOTNOŚĆ I WODA	Humidity should be low, around 25-45%. The enclosure should be dry, and the substrate must not become wet.
OŚWIETLENIE I UVB	The species is active by day in open, sunlit terrain, so it needs strong light and UVB.
ŻYWIENIE	In the wild the species eats mostly ants and beetles. Give small live insects daily to juveniles and every other day to adults: fruit flies, springtails, newly hatched crickets and small mealworms.
ZACHOWANIE I OBCHODZENIE SIĘ ZE ZWIERZĘCIEM	*Rhoptropus afer* is fast and shy and should not be handled. It is not an animal to pick up, and a single wrong grip can injure such a small gecko. It uses its tail as a signal and shows the yellow underside to other geckos.
NATURALNY ZASIĘG	Namibia i Angola.