herpy

KAMELEONY

Indian Chameleon

Chamaeleo zeylanicus

Chamaeleo zeylanicus is a large, slow-moving chameleon from India, Sri Lanka and south-eastern Pakistan, the only chameleon on the Indian subcontinent. It reaches 35-40 cm in length and turns deep green with dark spots when threatening. Little is known about its care, and the species is difficult to keep in the long term. It must live alone in a tall mesh enclosure with UVB.

Rodzina: Chamaeleonidae Dawna nazwa: *Chamaeleo coromandelicus; Chamaeleo zebra; Chamaeleo zeylonicus*

NAJWAŻNIEJSZE FAKTY

ZWIERZĘ

Wielkość dorosłego osobnika	**35-40 cm** długość całkowita z ogonem
Długość życia	**3-5 lat**
Aktywność	**Za dnia**
Tryb życia	**Nadrzewny**
Środowisko	**Suchy las**
Trudność	**Ekspert**

HODOWLA

Min. terrarium	**60 × 60 × 120 cm** D × S × W dla 1 dorosłego osobnika
Temperatura w dzień	**25-30 °C**
Miejsce wygrzewania	**32-35 °C**
Temperatura w nocy	**18-22 °C**
Wilgotność	**50-70%**
Woda	**Bez miski z wodą**
UVB	**Niezbędne** Strefa Fergusona 3
Pokarm	**Owady**
Utrzymanie	**Pojedynczo**

ROZMNAŻANIE

Rozmnażanie	**Jajorodny**
Wielkość zniesienia	**22-40 jaj**
Inkubacja	**240 dni** przy 22-27 °C

OCHRONA I FORMALNOŚCI

CITES	**Załącznik II**
Załącznik unijny	**Załącznik B**
IUCN	**Najmniejszej troski (LC)**

Hodowla w skrócie

TERRARIUM

Little is known about the care of *Chamaeleo zeylanicus*. The species is kept only in small numbers, captive breeding has not been documented, and it is difficult to keep in the long term without a large, densely planted setup.

TEMPERATURA

By day the temperature in the enclosure should be 25-30 °C, and on a basking branch it should be 32-35 °C.

WILGOTNOŚĆ I WODA

Humidity should be 50-70 %, and the enclosure should have good airflow, so branches and leaves can dry between mistings. Mist plants and branches twice a day, so there are droplets the animal can lick.

OŚWIETLENIE I UVB

The species is diurnal and needs strong light for 12 hours and darkness for 12 hours. UVB is necessary, because the animal needs D3 to absorb calcium.

ŻYWIENIE

The species is an insectivore and needs live insects: crickets, locusts, silkworms, hornworms and cockroaches such as *Blaptica dubia*. Variety is important. Waxworms and mealworms are fatty and are given only occasionally.

ZACHOWANIE I OBCHODZENIE SIĘ ZE ZWIERZĘCIEM

Chamaeleo zeylanicus is an animal to look at and not to handle. It sits still in the plants, sways slowly and lies in wait for prey.

NATURALNY ZASIĘG

Indie, Sri Lanka i Pakistan.