herpy

KAMELEONY

Crested Chameleon

Trioceros cristatus

Trioceros cristatus is a medium-sized chameleon from the lowland forests of West and Central Africa. The male has a tall, fan-shaped sail crest on the back and tail, and the skin between the throat scales is bright red or orange. The species is difficult to keep and needs constantly high humidity, so it is only for the very experienced keeper.

Rodzina: Chamaeleonidae Dawna nazwa: *Chamaeleo cristatus*

NAJWAŻNIEJSZE FAKTY

ZWIERZĘ

Wielkość dorosłego osobnika	**25-28 cm** długość całkowita z ogonem
Długość życia	**3-5 lat**
Aktywność	**Za dnia**
Tryb życia	**Nadrzewny i naziemny**
Środowisko	**Las deszczowy**
Trudność	**Ekspert**

HODOWLA

Min. terrarium	**60 × 60 × 90 cm** D × S × W dla 1 dorosłego osobnika
Temperatura w dzień	**23-25 °C**
Temperatura w nocy	**20-23 °C**
Wilgotność	**80-100%**
UVB	**Zalecane** Strefa Fergusona 2
Pokarm	**Owady**
Utrzymanie	**Pojedynczo**

ROZMNAŻANIE

Rozmnażanie	**Jajorodny**
Wielkość zniesienia	**11-37 jaj**
Zniesienia w roku	**1-2**
Inkubacja	**240-300 dni** przy 19-22 °C

OCHRONA I FORMALNOŚCI

CITES	**Załącznik II**
Załącznik unijny	**Załącznik B**
IUCN	**Najmniejszej troski (LC)**

Hodowla w skrócie

TERRARIUM	Little is known about the care of *Trioceros cristatus*, and the species is very difficult to keep, even for experienced keepers. An adult needs an enclosure of at least 60 × 60 × 90 cm (length × width × height).
TEMPERATURA	The temperature should be fairly constant: 23-25 °C by day and only a couple of degrees lower at night, 20-23 °C. The species rarely basks, so a strong hot spot is not needed.
WILGOTNOŚĆ I WODA	The species requires an extremely humid, almost wet environment. An ultrasonic fogger that runs constantly and lays dew in the enclosure, and an even drip system during the day, cover the need.
OŚWIETLENIE I UVB	The species is diurnal. It rarely basks, but benefits from plenty of UVB, and two UVB tubes over the enclosure can be used. Zone 2 is an estimate based on related forest chameleons such as *Trioceros deremensis*.
ŻYWIENIE	*Trioceros cristatus* is an insectivore. Most ordinary feeder insects are taken readily, but the species is not an aggressive hunter.
ZACHOWANIE I OBCHODZENIE SIĘ ZE ZWIERZĘCIEM	The species is kept individually. Temperament varies from shy (usually the males) to aggressive (usually the females). Several animals together cause stress, and handling is limited to what is necessary.
NATURALNY ZASIĘG	Gwinea Równikowa, Kamerun, Republika Środkowoafrykańska, Kongo, Gabon, Nigeria, Ghana i Togo.