herpy

PADALCOWATE

## Northern Alligator Lizard

# *Elgaria coerulea*

*Elgaria coerulea* is a slender, long-tailed alligator lizard from the west coast and Rocky Mountains of North America, from southern British Columbia to the Sierra Nevada in California. It grows to 20-30 cm, is active by day and is adapted to cool, humid surroundings. It gives birth to live young and needs a cool enclosure with many hides and a cool winter rest.

Rodzina: Anguidae  Dawna nazwa: *Gerrhonotus coeruleus*

### NAJWAŻNIEJSZE FAKTY

#### ZWIERZĘ

| | |
|---|---|
| Wielkość dorosłego osobnika | **20-30 cm**<br>długość całkowita z ogonem |
| Długość życia | **10-15 lat** |
| Aktywność | **Za dnia** |
| Tryb życia | **Nadrzewny i naziemny** |
| Środowisko | **Lasy i łąki strefy umiarkowanej** |
| Trudność | **Średnio zaawansowany** |

#### HODOWLA

| | |
|---|---|
| Min. terrarium | **80 × 40 × 50 cm**<br>D × S × W dla 1 dorosłego osobnika |
| Temperatura w dzień | **15-24 °C** |
| Miejsce wygrzewania | **28-30 °C** |
| Temperatura w nocy | **8-14 °C** |
| Wilgotność | **50-80%** |
| Woda | **Miska z wodą** |
| UVB | **Zalecane**<br>Strefa Fergusona 1 |
| Zimowanie | **4-8 °C**<br>8-12 tygodni |
| Pokarm | **Owady, kręgowce i dżdżownice i ślimaki** |
| Utrzymanie | **Pojedynczo** |

#### ROZMNAŻANIE

| | |
|---|---|
| Rozmnażanie | **Żyworodny** |
| Wielkość miotu | **4-15 młodych** |
| Ciąża | **60-120 dni** |

#### OCHRONA I FORMALNOŚCI

| | |
|---|---|
| CITES | **Niewymieniony** |
| Załącznik unijny | **Niewymieniony** |
| IUCN | **Najmniejszej troski (LC)** |

## Hodowla w skrócie

| | |
|---|---|
| **TERRARIUM** | *Elgaria coerulea* is a hardy lizard that does well in captivity when the temperature is low enough. |
| **TEMPERATURA** | The daytime temperature is 15-24 °C with a basking spot of 28-30 °C measured on the surface. |
| **WILGOTNOŚĆ I WODA** | The humidity should be 50-80 %, highest near the moist end and at night. The species lives in cool, moist forests and along watercourses and does not thrive in dry air. |
| **OŚWIETLENIE I UVB** | The species is diurnal and basks briefly in sunny patches, so the enclosure needs a basking spot and weak UVB. A UVB tube of weak strength corresponding to Ferguson zone 1 over one half suits its way of life. |
| **ŻYWIENIE** | *Elgaria coerulea* eats a wide range of small animals: crickets, beetles, spiders, moths, slugs and worms. Larger animals also take small lizards and, rarely, newborn mice. |
| **ZACHOWANIE I OBCHODZENIE SIĘ ZE ZWIERZĘCIEM** | The species is secretive and hides under cover, but is also out in the open in the morning and evening. It is not an animal for handling. If it is grabbed, it bites hard and empties its bowels, and the tail is easily dropped. |
| **NATURALNY ZASIĘG** | Kanada i Stany Zjednoczone. |