herpy

SALAMANDRY I TRASZKI

## Chuxiong Fire-bellied Newt

# *Cynops cyanurus*

*Cynops cyanurus* is a newt of 8-10 cm from Yunnan and Guizhou in south-western China. The colour ranges from dark brown to golden, the belly is yellow to orange with black spots, and a yellow or orange mark just behind the eye is characteristic of the species. It is almost entirely aquatic, tolerates ordinary room temperature and eats readily. Larvae and juveniles, however, are sensitive to cold.

Rodzina: Salamandridae  Dawna nazwa: *Hypselotriton cyanurus*  **Słabe toksyny skórne**

NAJWAŻNIEJSZE FAKTY

### ZWIERZĘ

| | |
|---|---|
| Wielkość dorosłego osobnika | **8-10 cm**<br>długość całkowita z ogonem |
| Długość życia | **10-15 lat** |
| Aktywność | **Za dnia i w nocy** |
| Tryb życia | **Wodny** |
| Środowisko | **Las górski i mokradła** |
| Toksyny skórne | **Słabe**<br>Umyj ręce po kontakcie i trzymaj palce z dala od oczu i ust |
| Trudność | **Średnio zaawansowany** |

### HODOWLA

| | |
|---|---|
| Min. terrarium | **60 × 30 × 30 cm**<br>D × S × W dla 3 dorosłych osobników |
| Temperatura w dzień | **16-24 °C** |
| Temperatura w nocy | **16-20 °C** |
| Wilgotność | **70-90%** |
| Woda | **Akwaterrarium**<br>głębokość 15-30 cm |
| Temperatura wody | **16-24 °C** |
| UVB | **Niewymagane** |
| Pokarm | **Owady i dżdżownice i ślimaki** |
| Utrzymanie | **W parach lub w grupach** |

### ROZMNAŻANIE

| | |
|---|---|
| Rozmnażanie | **Jajorodny** |
| Rozwój | **Larwy w wodzie** |
| Miejsce składania jaj | **W wodzie** |
| Dojrzałość płciowa | **12-24 miesięcy** |
| Liczba jaj w zniesieniu | **100-150** |
| Czas do wyklucia | **21-28 dni** |
| Okres larwalny | **150-180 dni**<br>od wyklucia do metamorfozy |
| Pokarm larw | **Małe bezkręgowce wodne (rozwielitki, larwy komarów)** |
| Opieka nad potomstwem | **Brak** |

### OCHRONA I FORMALNOŚCI

| | |
|---|---|
| CITES | **Niewymieniony** |
| Załącznik unijny | **Niewymieniony** |
| IUCN | **Narażony (VU)** |

## Hodowla w skrócie

| | |
|---|---|
| **TERRARIUM** | *Cynops cyanurus* is almost entirely aquatic and is kept in an aquarium. Three adults suit an aquarium of 60 × 30 × 30 cm with a water level of 25 cm, and more animals need more space. |
| **TEMPERATURA** | Adults thrive and breed at 21-24 °C in summer and 16-18 °C in winter, so they are well suited to an ordinary home. Healthy adults tolerate down to 10 °C and up to 27 °C briefly, but not for long at a time. |
| **WILGOTNOŚĆ I ZRASZANIE** | The species lives in water, so humidity is not critical. Under a tight lid it is high, about 70-90 %. Misting is not necessary. Any island or land section should be damp, but a large land area is not needed. |
| **WODA I JAKOŚĆ WODY** | The water level should be 15-30 cm. For three adults, 40-50 litres of water is suitable. Use dechlorinated water, change a quarter of the water weekly, and remove uneaten food. |
| **OŚWIETLENIE I UVB** | The species does not need special lighting, and UVB is not necessary. Ordinary aquarium lighting that suits the plants is enough, and the days are shortened in winter. |
| **ŻYWIENIE** | The species is a very good eater and takes almost anything suitable that moves. Offer chopped earthworms, blackworms, bloodworms, daphnia and white worms. |
| **ZACHOWANIE I OBCHODZENIE SIĘ ZE ZWIERZĘCIEM** | The species is calm and can be kept in a group. Make sure every animal is eating. Adults eat eggs and small larvae of their own species, so the offspring are kept separately. |
| **NATURALNY ZASIĘG** | Chiny. |