herpy

SCYNKI

King's Skink

Egernia kingii

A large, heavy and almost black skink from the south-west coast of Australia. *Egernia kingii* is omnivorous, gives birth to live young and lives a long time. Little documented knowledge exists on its care in the terrarium, so this guide is based on the species in the wild and on its close relatives *Egernia stokesii* and *Egernia cunninghami*.

Rodzina: Scincidae Dawna nazwa: *Tiliqua kingii*

NAJWAŻNIEJSZE FAKTY

ZWIERZĘ

Wielkość dorosłego osobnika	**55 cm** długość całkowita z ogonem
Waga	**220-360 g**
Długość życia	**20 lat**
Aktywność	**Za dnia**
Tryb życia	**Naziemny**
Środowisko	**Lasy i łąki strefy umiarkowanej**
Trudność	**Średnio zaawansowany**

HODOWLA

Min. terrarium	**150 × 60 × 60 cm** D × S × W dla 2 dorosłych osobników
Temperatura w dzień	**25-32 °C**
Miejsce wygrzewania	**38-45 °C**
Temperatura w nocy	**14-20 °C**
Wilgotność	**40-60%**
Woda	**Miska z wodą**
UVB	**Niezbędne** Strefa Fergusona 3
Pokarm	**Owady, owoce, rośliny i dżdżownice i ślimaki**
Utrzymanie	**Pojedynczo lub w parach**

ROZMNAŻANIE

Rozmnażanie	**Żyworodny**
Dojrzałość płciowa	**36-60 miesięcy**
Wielkość miotu	**2-8 młodych**
Ciąża	**140-154 dni**

OCHRONA I FORMALNOŚCI

CITES	**Załącznik III**
Załącznik unijny	**Załącznik C**
IUCN	**Najmniejszej troski (LC)**

Hodowla w skrócie

TERRARIUM	Little documented knowledge exists on the care of *Egernia kingii*.
TEMPERATURA	By day the air should be 25-32 °C with a clear gradient from the cool to the warm end. Under a halogen spot lies a large, flat stone whose surface should reach 38-45 °C, measured with an infrared thermometer.
WILGOTNOŚĆ I WODA	Humidity should be 40-60%. Mist the enclosure lightly a couple of times a week, and keep the substrate slightly damp under one hide at the cool end, so the animal can choose. A large dish of fresh water should always be available.
OŚWIETLENIE I UVB	*Egernia kingii* is diurnal and needs UVB for as long as the light is on. A UVB tube in a reflector over the basking spot, covering about half the length of the enclosure, gives Ferguson zone 3.
ŻYWIENIE	*Egernia kingii* is omnivorous. In the wild the diet is mostly soft plant material, supplemented with insects and birds' eggs.
ZACHOWANIE I OBCHODZENIE SIĘ ZE ZWIERZĘCIEM	The species is a large and powerful skink. The animals' social life is not documented in the same way as in *Egernia stokesii* and *Egernia cunninghami*, which live in family groups.
NATURALNY ZASIĘG	Australia.