herpy

WĘŻE

Pacific Ground Boa

Candoia carinata

Candoia carinata is a small, slender boa with keeled scales and a prehensile tail from forests in Indonesia, New Guinea and the Bismarck Archipelago. It reaches 45-60 cm, is nocturnal and eats lizards and frogs when young, later also rodents. It gives birth to live young and is kept in a small, warm, humid enclosure with branches and a water bowl.

Rodzina: Boidae Dawna nazwa: *Boa carinata; Enygrus carinatus*

NAJWAŻNIEJSZE FAKTY

ZWIERZĘ

Wielkość dorosłego osobnika	**45-60 cm** długość całkowita z ogonem
Długość życia	**10-15 lat**
Aktywność	**W nocy**
Tryb życia	**Nadrzewny i naziemny**
Środowisko	**Suchy las i las deszczowy**
Trudność	**Średnio zaawansowany**

HODOWLA

Min. terrarium	**80 × 40 × 50 cm** D × S × W dla 1 dorosłego osobnika
Temperatura w dzień	**26-28 °C**
Temperatura w nocy	**24-26 °C**
Wilgotność	**50-80%**
Woda	**Miska z wodą**
UVB	**Niewymagane**
Pokarm	**Kręgowce**
Utrzymanie	**Pojedynczo**

ROZMNAŻANIE

Rozmnażanie	**Żyworodny**
Wielkość miotu	**5-15 młodych**
Ciąża	**210-270 dni**

OCHRONA I FORMALNOŚCI

CITES	**Załącznik II**
Załącznik unijny	**Załącznik B**
IUCN	**Najmniejszej troski (LC)**

Hodowla w skrócie

TERRARIUM	Little is known about the care of *Candoia carinata*, so the recommendations also build on experience with other species in the genus *Candoia*.
TEMPERATURA	By day the enclosure should be 26-28 °C, warmest at one end so that the snake can choose, and 24-26 °C at night.
WILGOTNOŚĆ I WODA	Humidity should stay at 50-80%. Keep the substrate slightly damp, and mist the enclosure once or twice a week, and more often when the snake is about to shed. Adults typically shed about three times a year.
OŚWIETLENIE I UVB	The species is nocturnal and needs a fixed day-night rhythm of 12 hours of light and 12 hours of darkness controlled by a timer. The enclosure should not be brightly lit.
ŻYWIENIE	Adult *Candoia carinata* are fed one suitably sized rodent every 3-4 weeks. The species is not very active and has a slow metabolism.
ZACHOWANIE I OBCHODZENIE SIĘ ZE ZWIERZĘCIEM	*Candoia carinata* is quiet and spends the day hidden. Captive-bred animals are normally calm and seldom bite; wild-caught animals can be bad-tempered.
NATURALNY ZASIĘG	Indonezja i Papua-Nowa Gwinea.