herpy

WĘŻE

Desert Kingsnake

Lampropeltis splendida

Lampropeltis splendida is a medium-sized to large kingsnake from the desert regions of the south-western USA and northern Mexico, black or dark brown with yellow crossbands broken up into small spots. It reaches 90-115 cm, eats rodents, lizards and other snakes, and is robust and easy to keep. It is kept singly in a floor-type enclosure with a basking spot and moderate humidity and can live for over 20 years.

Rodzina: Colubridae Dawna nazwa: *Lampropeltis getula splendida; Ophibolus splendidus*

NAJWAŻNIEJSZE FAKTY

ZWIERZĘ

Wielkość dorosłego osobnika	**90-115 cm** długość całkowita z ogonem
Długość życia	**15-25 lat**
Aktywność	**Za dnia i o zmierzchu**
Tryb życia	**Naziemny**
Środowisko	**Pustynia i półpustynia**
Trudność	**Początkujący**

HODOWLA

Min. terrarium	**120 × 60 × 60 cm** D × S × W dla 1 dorosłego osobnika
Temperatura w dzień	**21-26 °C**
Miejsce wygrzewania	**29-32 °C**
Temperatura w nocy	**18-22 °C**
Wilgotność	**40-60%**
Woda	**Miska z wodą**
UVB	**Zalecane** Strefa Fergusona 2
Pokarm	**Kręgowce**
Utrzymanie	**Pojedynczo**

ROZMNAŻANIE

Rozmnażanie	**Jajorodny**
Wielkość zniesienia	**5-12 jaj**
Inkubacja	**60-70 dni** przy 26-29 °C

OCHRONA I FORMALNOŚCI

CITES	**Niewymieniony**
Załącznik unijny	**Niewymieniony**
IUCN	**Najmniejszej troski (LC)**

Hodowla w skrócie

TERRARIUM	There is only a little species-specific knowledge about the care of *Lampropeltis splendida*.
TEMPERATURA	The animal regulates its temperature by moving between warm and cool spots, so the enclosure must have a distinct gradient.
WILGOTNOŚĆ I WODA	Humidity should be 40-60 %, measured with a digital hygrometer in the middle of the enclosure. It is higher at the cool end and at night and lower at the warm end, and that is normal.
OŚWIETLENIE I UVB	The species is active by day and basks in the wild. It can manage without UVB, but UVB is recommended for the best welfare. This fits Ferguson zone 2.
ŻYWIENIE	*L. splendida* is a carnivore and needs whole prey animals. Mice are the standard food, and as the animal grows, young rats are used.
ZACHOWANIE I OBCHODZENIE SIĘ ZE ZWIERZĘCIEM	*L. splendida* is robust and tolerant. Give a new animal about 2 weeks in peace, and only start handling when it is feeding regularly.
NATURALNY ZASIĘG	Stany Zjednoczone i Meksyk.