herpy

AGAMÍDEOS

## Nullabor Bearded Dragon

# *Pogona nullarbor*

*Pogona nullarbor* is a medium-sized bearded dragon of about 30-35 cm with a short snout and short tail, known only from the Nullarbor Plain in southern Australia. It is reddish brown to orange-brown with pale cross-bands and several rows of large spines along the flanks, and it is very rarely kept in captivity.

Família: Agamidae  Nome anterior: *Amphibolurus nullarbor*

DADOS PRINCIPAIS

### O ANIMAL

| | |
|---|---|
| Tamanho adulto | **30-35 cm**<br>comprimento total com a cauda |
| Longevidade | **10-15 anos** |
| Ativo | **De dia** |
| Estilo de vida | **Terrestre e escavador** |
| Habitat | **Semideserto e savana** |
| Dificuldade | **Intermediário** |

### CUIDADOS

| | |
|---|---|
| Terrário mín. | **120 × 60 × 60 cm**<br>C × L × A para 1 adulto |
| Temperatura, dia | **24-37 °C** |
| Ponto quente | **40-45 °C** |
| Temperatura, noite | **13-24 °C** |
| Umidade | **30-50%** |
| Água | **Recipiente de água** |
| UVB | **Essencial**<br>Zona de Ferguson 3 |
| Alimentação | **Insetos e plantas** |
| Mantido | **Sozinho** |

### REPRODUÇÃO

| | |
|---|---|
| Reprodução | **Ovíparo** |
| Maturidade sexual | **6-12 meses** |
| Tamanho da postura | **14-20 ovos** |
| Incubação | **75-85 dias**<br>a 28-30 °C |

### PROTEÇÃO E DOCUMENTAÇÃO

| | |
|---|---|
| CITES | **Não listado** |
| Anexo da UE | **Não listado** |
| IUCN | **Menos preocupante (LC)** |

## Resumo dos cuidados

| | |
|---|---|
| **O TERRÁRIO** | Little is known about the care of *Pogona nullarbor*, because the species is hardly kept outside Australia. |
| **TEMPERATURA** | Heat with at least two halogen spotlights over the basking spot. The surface there should be 40-45 °C measured with an infrared thermometer, and the warm patch must be at least as large as the whole animal. |
| **UMIDADE E ÁGUA** | Humidity should be 30-50 %, measured at the cool end, and the enclosure must be able to dry out, because the species lives in a dry region. Stagnant, wet air and a wet substrate cause illness. |
| **ILUMINAÇÃO E UVB** | *Pogona nullarbor* depends on strong, white light, which promotes appetite and activity. The basking spot should be the brightest place, and 75-100 % of the length of the enclosure should be lit. |
| **ALIMENTAÇÃO** | *Pogona nullarbor* is fed like other medium-sized bearded dragons: mostly insects and a daily supplement of greens. The diet in the wild is not documented for the species. |
| **COMPORTAMENTO E MANUSEIO** | *Pogona nullarbor* is diurnal and basks a lot. Its behaviour has not been studied for the species; the other species in the genus head-bob at rivals and wave a foreleg as a sign of submission, and the same can be expected here. |
| **ÁREA DE OCORRÊNCIA NATURAL** | Austrália. |