herpy

AGAMÍDEOS

Sudan Mastigure

Uromastyx dispar

Uromastyx dispar is a spiny-tailed lizard from the Sahara and Sahel with four subspecies, including the large *U. d. flavifasciata* and the frequently kept *U. d. maliensis* from Mali. The species grows to 28-50 cm depending on form, is herbivorous and digs down into a deep substrate. It needs a large, hot and dry enclosure with powerful UVB and is more an animal to watch than to handle.

Família: Agamidae Nome anterior: *Uromastyx flavifasciata; Uromastyx maliensis*

DADOS PRINCIPAIS

O ANIMAL

Tamanho adulto	**28-50 cm** comprimento total com a cauda
Peso	**200-400 g**
Longevidade	**15-25 anos**
Ativo	**De dia**
Estilo de vida	**Rupícola, terrestre e escavador**
Habitat	**Deserto e terreno rochoso**
Dificuldade	**Intermediário**

CUIDADOS

Terrário mín.	**120 × 60 × 60 cm** C × L × A para 1 adulto
Temperatura, dia	**29-35 °C**
Ponto quente	**45-50 °C**
Temperatura, noite	**20-22 °C**
Umidade	**20-30%**
Água	**Sem recipiente de água**
UVB	**Essencial** Zona de Ferguson 3
Repouso de inverno	**18-21 °C** 8-12 semanas
Alimentação	**Plantas**
Mantido	**Sozinho ou em casal**

REPRODUÇÃO

Reprodução	**Ovíparo**
Maturidade sexual	**36 meses**
Tamanho da postura	**10-20 ovos**
Posturas por ano	**1**
Incubação	**60-80 dias** a 33 °C

PROTEÇÃO E DOCUMENTAÇÃO

CITES	**Apêndice II**
Anexo da UE	**Anexo B**
IUCN	**Menos preocupante (LC)**

Resumo dos cuidados

O TERRÁRIO	An adult of the nominate form or *U. d. maliensis* needs an enclosure of at least 120 × 60 × 60 cm (length × width × height), and bigger is better. The larger *U. d. flavifasciata* needs at least 150 × 60 × 60 cm.
TEMPERATURA	The basking spot must have a surface temperature of 45-50 °C, measured with an infrared thermometer directly under the lamp. The middle of the enclosure is at 35-38 °C and the cool end at 29-35 °C.
UMIDADE E ÁGUA	Humidity must be below 30 %. The species tolerates slightly higher humidity as long as the enclosure is dry and warm enough, but it does not tolerate being cold and damp. Do not mist the enclosure.
ILUMINAÇÃO E UVB	The species is diurnal and needs strong light. Use an LED lamp or a fluorescent tube of about 6500 K as daylight in addition to the heat lamp.
ALIMENTAÇÃO	*Uromastyx dispar* is herbivorous.
COMPORTAMENTO E MANUSEIO	Adults are territorial, especially males towards males, and two males must never be kept together.
ÁREA DE OCORRÊNCIA NATURAL	Argélia, Saara Ocidental, Mali, Mauritânia, Sudão e Chade.