herpy

ESCINCÍDEOS

Ocellated (Bronze) Skink

Chalcides ocellatus

Chalcides ocellatus is a lively, diurnal skink from the Mediterranean region, North Africa and the Middle East with a smooth, cylindrical body, small legs and pale-edged eyespots on the back. It swims through loose sand, gives birth to live young and is inquisitive and easy to watch. It does well in a dry enclosure with a sandy substrate, a warm basking spot and humid nights.

Família: Scincidae

DADOS PRINCIPAIS

O ANIMAL

Tamanho adulto	**15-30 cm** comprimento total com a cauda
Peso	**22-39 g**
Longevidade	**10-20 anos**
Ativo	**De dia**
Estilo de vida	**Terrestre e escavador**
Habitat	**Deserto e semideserto**
Dificuldade	**Intermediário**

CUIDADOS

Terrário mín.	**90 × 45 × 30 cm** C × L × A para 1 adulto
Temperatura, dia	**24-29 °C**
Ponto quente	**33-37 °C**
Temperatura, noite	**18-21 °C**
Umidade	**15-35%**
Água	**Recipiente de água**
UVB	**Recomendado** Zona de Ferguson 2
Alimentação	**Insetos e pequenos invertebrados (colêmbolos, drosófilas)**
Mantido	**Sozinho ou em grupo**

REPRODUÇÃO

Reprodução	**Vivíparo**
Tamanho da ninhada	**2-12 filhotes**
Posturas por ano	**1-2**
Gestação	**90-120 dias**

PROTEÇÃO E DOCUMENTAÇÃO

CITES	**Não listado**
Anexo da UE	**Não listado**
IUCN	**Menos preocupante (LC)**

Resumo dos cuidados

O TERRÁRIO

A single animal needs an enclosure of at least 90 × 45 × 30 cm, and larger is better. Floor area matters more than height, because the species mostly moves on the ground, but it also climbs, so branches and rocks give variety.

TEMPERATURA

Chalcides ocellatus loves the sun and needs a clear temperature gradient. The basking spot should have a surface temperature of 43-49 °C, measured with an infrared thermometer, and the air temperature above it should be 33-37 °C.

UMIDADE E ÁGUA

Humidity should follow the rhythm of nature: dry by day and humid at night. By day the enclosure should dry out to 15-35 %, and at night it may rise to 90-100 %.

ILUMINAÇÃO E UVB

The species is diurnal and needs strong light and UVB. It belongs to Ferguson zone 2, and the UV index should be 2-3 at the basking spot and lower in the rest of the enclosure.

ALIMENTAÇÃO

The species is first and foremost an insectivore and in the wild takes almost anything it can overpower: locusts, crickets, ants, beetles, woodlice, spiders, centipedes and insect larvae.

COMPORTAMENTO E MANUSEIO

Chalcides ocellatus is active and inquisitive, but not an animal for regular handling: it is slippery and fast and disappears easily if it becomes frightened.

ÁREA DE OCORRÊNCIA NATURAL

Itália, Malta, Grécia, Chipre, Turquia, Líbano, Síria, Jordânia, Israel, Territórios palestinos, Iraque, Irã, Arábia Saudita, Iêmen, Omã, Emirados Árabes Unidos, Turcomenistão, Paquistão, Marrocos, Saara Ocidental, Mauritânia, Argélia, Tunísia, Líbia, Egito, Níger, Mali, Sudão e Chade.