herpy

SALAMANDRAS E TRITÕES

Southern Banded Newt

Ommatotriton vittatus

Ommatotriton vittatus is a medium-sized newt of 9-11 cm from the Levant and southern Turkey. In the breeding season the male develops a tall, serrated dorsal crest and stronger colours. The species likes cool conditions, is shy, and needs a cool, humid and quiet set-up, so it is one of the more difficult newts to keep. The population in Turkey is declining, so captive-bred animals are the right choice.

Família: Salamandridae Nome anterior: *Salamandra vittatus; Triturus vittatus* **Toxinas leves na pele**

DADOS PRINCIPAIS

O ANIMAL

Tamanho adulto	**9-11 cm** comprimento total com a cauda
Longevidade	**8-12 anos**
Ativo	**Ao crepúsculo e à noite**
Estilo de vida	**Semiaquático**
Habitat	**Área úmida e bosque e prado temperados**
Toxinas na pele	**Leves** Lave as mãos após o contato e mantenha os dedos longe dos olhos e da boca
Dificuldade	**Experiente**

CUIDADOS

Terrário mín.	**60 × 30 × 30 cm** C × L × A para 2 adultos
Temperatura, dia	**10-18 °C**
Temperatura, noite	**5-12 °C**
Umidade	**80-100%**
Água	**Aquaterrário** profundidade 10-20 cm
Temperatura da água	**8-18 °C**
UVB	**Não necessário**
Repouso de inverno	**4-10 °C** 8-12 semanas
Alimentação	**Insetos, pequenos invertebrados (colêmbolos, drosófilas) e minhocas/caracóis**
Mantido	**Em casal**

REPRODUÇÃO

Reprodução	**Ovíparo**
Desenvolvimento	**Larvas na água**
Local de postura	**Na água**
Maturidade sexual	**36-48 meses**
Ovos por temporada	**100-200**
Fase larval	**60-120 dias** da eclosão até a metamorfose
Alimentação das larvas	**Pequenos invertebrados aquáticos (dáfnias, larvas de mosquito)**
Cuidado parental	**Nenhum**

PROTEÇÃO E DOCUMENTAÇÃO

CITES	**Não listado**
Anexo da UE	**Não listado**
IUCN	**Menos preocupante (LC)**

Resumo dos cuidados

O TERRÁRIO	Little is known about keeping *Ommatotriton vittatus*.
TEMPERATURA	*Ommatotriton vittatus* likes cool conditions. The daytime temperature should be 10-18 °C and the night temperature 5-12 °C, and the temperature must not exceed 20 °C for long.
UMIDADE E NEBULIZAÇÃO	Keep the land section damp, with a humidity of 80-100 %, but never waterlogged. Mist the moss with dechlorinated water when it begins to dry.
ÁGUA E QUALIDADE DA ÁGUA	The water section should be 10-20 cm deep and 8-18 °C. Use dechlorinated tap water or rainwater. Clean water is important: change a third of the water weekly, and remove food remains daily. A small filter with a gentle flow helps.
ILUMINAÇÃO E UVB	UVB is not necessary for the species, which is active at night and at dusk and avoids sun. Ordinary daylight or LED light for 10-12 hours a day is enough. The lamp must not heat the enclosure.
ALIMENTAÇÃO	*Ommatotriton vittatus* eats any small animal it can overpower. On land, springtails, woodlice, white worms, fruit flies and small snails and spiders are suitable, and for adults also larger woodlice and crickets.
COMPORTAMENTO E MANUSEIO	The species is shy and does best when left in peace. Males bite and chase each other away from their territory, so two males do not belong together in a small enclosure.
ÁREA DE OCORRÊNCIA NATURAL	Turquia, Síria, Líbano, Israel e Jordânia.