herpy

SAPOS E RÃS

Green Mantella

Mantella viridis

Mantella viridis is a small, diurnal frog of 2-3 cm with a sharp green colour, a black face mask and a blue and white marbled belly. It lives only in the far north of Madagascar, tolerates heat poorly and is threatened in the wild, so only captive-bred animals should be considered.

Família: Mantellidae

DADOS PRINCIPAIS

O ANIMAL

Tamanho adulto	**2-3 cm** comprimento focinho-cloaca
Longevidade	**5-8 anos**
Ativo	**De dia**
Estilo de vida	**Terrestre**
Habitat	**Floresta seca e área úmida**
Toxinas na pele na natureza	**Leves**
Toxinas na pele em cativeiro	**Nenhuma** Animais nascidos em cativeiro. Animais capturados na natureza podem manter as toxinas por muito tempo
Dificuldade	**Iniciante**

REPRODUÇÃO

Reprodução	**Ovíparo**
Desenvolvimento	**Girinos na água**
Local de postura	**No chão**
Ovos por postura	**40-115**
Fase larval	**42-56 dias** da eclosão até a metamorfose
Alimentação das larvas	**Algas/plantas e ração completa**
Cuidado parental	**Nenhum**

CUIDADOS

Terrário mín.	**45 × 45 × 30 cm** C × L × A para 4 adultos
Temperatura, dia	**20-24 °C**
Temperatura, noite	**17-20 °C**
Umidade	**60-80%**
Água	**Recipiente de água**
UVB	**Opcional** Zona de Ferguson 1
Alimentação	**Pequenos invertebrados (colêmbolos, drosófilas)**
Mantido	**Em grupo**

PROTEÇÃO E DOCUMENTAÇÃO

CITES	**Apêndice II**
IUCN	**Em perigo (EN)**

Resumo dos cuidados

O TERRÁRIO	The set-up can be simple. Floor area matters more than height, because *M. viridis* lives almost exclusively on the ground.
TEMPERATURA	During the day the enclosure is kept at 20-24 °C with a drop to 17-20 °C at night. Above 27 °C *M. viridis* is quickly stressed, and in the genus temperatures above 27 °C can quickly become fatal, especially for young animals.
UMIDADE E NEBULIZAÇÃO	Humidity is kept at 60-70 % day to day and up to 80 % in the breeding season, with more humidity down at the bottom and in the moss. The species tolerates a fairly wide range, as long as clean water is always available.
ÁGUA E QUALIDADE DA ÁGUA	There must always be a shallow water bowl or a shallow area of water, so the frogs do not dry out at lower humidity. The water must be so shallow that small animals easily get out, and the depth is not documented.
ILUMINAÇÃO E UVB	Light is first and foremost for the plants. There is no documentation that *M. viridis* needs UVB, but because the species is active in partial sun in the wild, a weak UVB tube is probably an advantage.
ALIMENTAÇÃO	*M. viridis* is a small insectivore that takes small prey.
COMPORTAMENTO E MANUSEIO	*M. viridis* is diurnal and best kept as a group. Outside the breeding season the animals are practically passive towards one another, but adult females may fight in the breeding season.
ÁREA DE OCORRÊNCIA NATURAL	Madagascar.