herpy

SAPOS E RÃS

Amazon Milk Frog

Trachycephalus resinifictrix

Trachycephalus resinifictrix is a large, powerful, nocturnal tree frog from the Amazon canopy. The juveniles are striped black and white, the adults marbled, and when threatened the frog secretes a milky-white skin secretion. It breeds in water-filled tree holes, is robust to keep and in many ways resembles *Ranoidea caerulea*.

Família: Hylidae Nome anterior: *Phrynohyas resinifictrix* **Toxinas leves na pele**

DADOS PRINCIPAIS

O ANIMAL

Tamanho adulto	**6-10 cm** comprimento focinho-cloaca
Longevidade	**8-10 anos**
Ativo	**À noite**
Estilo de vida	**Arborícola**
Habitat	**Floresta tropical**
Toxinas na pele	**Leves** Lave as mãos após o contato e mantenha os dedos longe dos olhos e da boca
Dificuldade	**Intermediário**

CUIDADOS

Terrário mín.	**75 × 30 × 45 cm** C × L × A para 2 adultos
Temperatura, dia	**21-29 °C**
Temperatura, noite	**18-21 °C**
Umidade	**50-100%**
Água	**Recipiente de água**
UVB	**Recomendado** Zona de Ferguson 2
Alimentação	**Insetos e minhocas/caracóis**
Mantido	**Sozinho, em casal ou em grupo**

REPRODUÇÃO

Reprodução	**Ovíparo**
Desenvolvimento	**Girinos na água**
Local de postura	**Na água**
Maturidade sexual	**12-18 meses**
Ovos por postura	**100-1.500**
Eclosão	**1-2 dias**
Fase larval	**21-75 dias** da eclosão até a metamorfose
Alimentação das larvas	**Ração completa**
Cuidado parental	**Nenhum**

PROTEÇÃO E DOCUMENTAÇÃO

CITES	**Não listado**
IUCN	**Menos preocupante (LC)**

Resumo dos cuidados

O TERRÁRIO	An adult pair needs an enclosure of at least 75 × 30 × 45 cm (length × width × height), and that is enough for up to four adults. A group of five needs at least 60 × 45 × 60 cm.
TEMPERATURA	*Trachycephalus resinifictrix* tolerates a wide temperature range.
UMIDADE E NEBULIZAÇÃO	Humidity is less critical than temperature, but the enclosure should be misted at least once a day. Use dechlorinated tap water or reverse-osmosis water, which also leaves no limescale marks on the glass.
ÁGUA E QUALIDADE DA ÁGUA	*Trachycephalus resinifictrix* needs a large bowl of clean water, corresponding to the tree hole in the wild. The bowl must be large enough for the frog to sit in, and it is used almost every night, so do not skimp on size.
ILUMINAÇÃO E UVB	*Trachycephalus resinifictrix* is nocturnal and can both live and breed without UVB, but juveniles raised with UVB grow larger and develop a healthier skeleton than juveniles without.
ALIMENTAÇÃO	*T. resinifictrix* is greedy and rarely fussy. Crickets can make up most of the diet, and they should be roughly as long as the frog's head is wide.
COMPORTAMENTO E MANUSEIO	*T. resinifictrix* is not an animal for handling. The skin is permeable and sensitive to oils and salts from human skin, and the skin secretion can be irritating.
ÁREA DE OCORRÊNCIA NATURAL	Brasil, Guiana Francesa, Suriname, Guiana, Venezuela, Colômbia, Peru e Equador.

O guia completo com mapa e atualizações: herpy.org/en/frogs/trachycephalus-resinifictrix