herpy

SAPOS-FLECHA

Espinosa Poison Frog

Epipedobates espinosai

Epipedobates espinosai is a small, diurnal poison dart frog of 13-20 mm with a copper-brown to dark red back, in some populations black with orange spots. It lives in humid forest in the lowlands and at the foot of the Andes in north-western Ecuador. The species is hardly ever kept, and little is known about its care.

Família: Dendrobatidae Nome anterior: *Dendrobates espinosai; Phyllobates espinosai; Epipedobates darwinwallacei*

DADOS PRINCIPAIS

O ANIMAL

Tamanho adulto	**13-20 mm** comprimento focinho-cloaca
Longevidade	**8-10 anos**
Ativo	**De dia**
Estilo de vida	**Terrestre**
Habitat	**Floresta tropical e floresta de montanha**
Toxinas na pele na natureza	**Leves**
Toxinas na pele em cativeiro	**Nenhuma** Animais nascidos em cativeiro. Animais capturados na natureza podem manter as toxinas por muito tempo
Dificuldade	**Experiente**

REPRODUÇÃO

Reprodução	**Ovíparo**
Desenvolvimento	**Girinos carregados até a água**
Local de postura	**No chão**
Ovos por postura	**10-30**
Eclosão	**9-14 dias**
Fase larval	**42-70 dias** da eclosão até a metamorfose
Alimentação das larvas	**Algas/plantas e ração completa**
Cuidado parental	**Vigia os ovos e carrega os girinos**

CUIDADOS

Terrário mín.	**40 × 40 × 40 cm** C × L × A para 3 adultos
Temperatura, dia	**22-26 °C**
Temperatura, noite	**19-22 °C**
Umidade	**80-100%**
Água	**Recipiente de água** profundidade 1-2 cm
UVB	**Opcional** Zona de Ferguson 1
Alimentação	**Pequenos invertebrados (colêmbolos, drosófilas)**
Mantido	**Em casal ou em grupo**

PROTEÇÃO E DOCUMENTAÇÃO

CITES	**Apêndice II**
IUCN	**Dados insuficientes (DD)**

Resumo dos cuidados

O TERRÁRIO	Little is known about the care of *Epipedobates espinosai*, and the species is hardly ever kept.
TEMPERATURA	Keep 22-26 °C during the day with slightly cooler and slightly warmer spots in the enclosure, and 19-22 °C at night. Animals from Mindo and other high-lying places do best at the cool end.
UMIDADE E NEBULIZAÇÃO	Humidity should be 80-100 %. Spray several times a day or use a rain system, for example three times a day for 20-60 seconds, preferably supplemented with a fogger.
ÁGUA E QUALIDADE DA ÁGUA	A shallow water bowl with 1-2 cm of water, for example a low saucer or half a Brazil nut shell, gives the frogs a place to drink and bathe and is a breeding site when the male is to deposit tadpoles.
ILUMINAÇÃO E UVB	The light is for the plants: fluorescent tubes or LED bars for about 12 hours a day. The closely related species thrive without UVB, so it is optional.
ALIMENTAÇÃO	The frogs are given live, small prey: springtails and fruit flies (*Drosophila melanogaster*), and adults also take the larger *Drosophila hydei* and newly hatched crickets.
COMPORTAMENTO E MANUSEIO	*E. espinosai* is diurnal and moves openly between grass and leaf litter. The males of the genus are territorial and call from fixed spots; the brown and the orange-spotted populations have almost identical calls.
ÁREA DE OCORRÊNCIA NATURAL	Equador.

O guia completo com mapa e atualizações: herpy.org/en/poison-dart-frogs/epipedobates-espinosai