herpy

SAPOS-FLECHA

Machalilla poison frog

Epipedobates machalilla

Epipedobates machalilla is a slender, subdued poison frog of 14-18 mm with a brown back and a pale stripe along the flank. It lives only in the lowlands and dry forests of western Ecuador. The species is hardly ever kept, and its care is based on the climate and its close relatives.

Família: Dendrobatidae

DADOS PRINCIPAIS

O ANIMAL

Tamanho adulto	**14-18 mm** comprimento focinho-cloaca
Longevidade	**8-10 anos**
Ativo	**De dia**
Estilo de vida	**Terrestre**
Habitat	**Floresta seca e floresta tropical**
Toxinas na pele na natureza	**Leves**
Toxinas na pele em cativeiro	**Nenhuma** Animais nascidos em cativeiro. Animais capturados na natureza podem manter as toxinas por muito tempo
Dificuldade	**Experiente**

REPRODUÇÃO

Reprodução	**Ovíparo**
Desenvolvimento	**Girinos carregados até a água**
Local de postura	**No chão**
Ovos por postura	**15**
Eclosão	**18-22 dias**
Fase larval	**42-70 dias** da eclosão até a metamorfose
Alimentação das larvas	**Algas/plantas e ração completa**
Cuidado parental	**Vigia os ovos e carrega os girinos**

CUIDADOS

Terrário mín.	**40 × 40 × 40 cm** C × L × A para 3 adultos
Temperatura, dia	**22-27 °C**
Temperatura, noite	**19-22 °C**
Umidade	**80-100%**
Água	**Recipiente de água** profundidade 1-2 cm
UVB	**Opcional** Zona de Ferguson 1
Alimentação	**Pequenos invertebrados (colêmbolos, drosófilas)**
Mantido	**Em casal ou em grupo**

PROTEÇÃO E DOCUMENTAÇÃO

CITES	**Apêndice II**
IUCN	**Menos preocupante (LC)**

Resumo dos cuidados

O TERRÁRIO	Little is known about the care of *Epipedobates machalilla*, and the species is hardly ever kept.
TEMPERATURA	Keep 22-27 °C by day, with slightly cooler and slightly warmer spots in the enclosure, and 19-22 °C at night. The species lives lower and warmer than *Epipedobates tricolor*, so the upper part of the range suits it.
UMIDADE E NEBULIZAÇÃO	Humidity should be 80-100 %. Mist several times a day or use a rain system, for example three times daily for 20-60 seconds, so that leaves and furnishings are dry again after about an hour. Use rainwater or reverse-osmosis water.
ÁGUA E QUALIDADE DA ÁGUA	A shallow water dish with 1-2 cm of water, which the frogs can easily climb out of, is enough. Use rainwater, reverse-osmosis water or dechlorinated tap water, and change it often.
ILUMINAÇÃO E UVB	The lighting is for the plants: fluorescent tubes or LED bars for about 12 hours a day. The closely related species thrive without UVB, so it is optional.
ALIMENTAÇÃO	*Epipedobates machalilla* is small and takes small prey: springtails and fruit flies (*Drosophila melanogaster*), and as an adult also the larger *Drosophila hydei* and newly hatched crickets.
COMPORTAMENTO E MANUSEIO	The males are probably territorial and call from perches on the ground and in the leaf litter, like their close relatives.
ÁREA DE OCORRÊNCIA NATURAL	Equador.