herpy

SAPOS-FLECHA

Little Devil Poison Frog

Oophaga sylvatica

Oophaga sylvatica is one of the largest poison frogs in the genus *Oophaga*: a diurnal forest-floor frog of 3-4 cm from the rainforests of Ecuador and Colombia, known for its many colour forms in orange, red and yellow on a black or brown background and for its persistent brood care.

Família: Dendrobatidae Nome anterior: *Dendrobates sylvaticus*

DADOS PRINCIPAIS

O ANIMAL

Tamanho adulto	**3-4 cm** comprimento focinho-cloaca
Longevidade	**10-15 anos**
Ativo	**De dia**
Estilo de vida	**Terrestre**
Habitat	**Floresta tropical**
Toxinas na pele na natureza	**Leves**
Toxinas na pele em cativeiro	**Nenhuma** Animais nascidos em cativeiro. Animais capturados na natureza podem manter as toxinas por muito tempo
Dificuldade	**Experiente**

CUIDADOS

Terrário mín.	**60 × 60 × 60 cm** C × L × A para 2 adultos
Temperatura, dia	**23-26 °C**
Temperatura, noite	**21-23 °C**
Umidade	**70-100%**
Água	**Recipiente de água** profundidade 1-2 cm
UVB	**Opcional** Zona de Ferguson 1
Alimentação	**Pequenos invertebrados (colêmbolos, drosófilas)**
Mantido	**Em casal**

REPRODUÇÃO

Reprodução	**Ovíparo**
Desenvolvimento	**Girinos carregados até a água**
Local de postura	**No chão**
Maturidade sexual	**18-24 meses**
Ovos por postura	**4-20**
Eclosão	**10-16 dias**
Fase larval	**75-90 dias** da eclosão até a metamorfose
Alimentação das larvas	**Ovos não fertilizados da fêmea**
Cuidado parental	**Vigia os ovos, carrega os girinos e alimenta os girinos com ovos**

PROTEÇÃO E DOCUMENTAÇÃO

CITES	**Apêndice II**
IUCN	**Quase ameaçado (NT)**

Resumo dos cuidados

O TERRÁRIO	An enclosure of at least 60 × 60 × 60 cm (length, width, height) suits one pair. The males are strongly territorial, and the females also hold territories and form a hierarchy when there are many animals.
TEMPERATURA	*Oophaga sylvatica* comes from a lowland with almost constant warmth, so the temperature must be kept stable: 23-26 °C by day and 21-23 °C at night.
UMIDADE E NEBULIZAÇÃO	Humidity is kept at 70-80 % during the day and rises towards 100 % early in the morning and late in the evening, as when fog and rain drift in over the forest. At midday it may fall to about 70 %.
ÁGUA E QUALIDADE DA ÁGUA	A shallow water dish with 1-2 cm of water and a ramp of stones or moss is enough for adults; the frogs are poor swimmers, and the water should reach no more than about three quarters of the animal's height when it stands.
ILUMINAÇÃO E UVB	The lighting should first and foremost suit the plants. Fluorescent tubes or LED lights of about 6,500 K give natural colours and good plant growth; choose light sources with high efficiency and a reflector.
ALIMENTAÇÃO	Adults take the usual small feeder insects: springtails, small and large fruit flies, micro crickets, small waxworm larvae, booklice, firebrats and finely sifted meadow plankton.
COMPORTAMENTO E MANUSEIO	The males are strongly territorial and call from morning to evening; the call is short and high, about five notes per second. Rival males call in competition, advance and retreat and can end up in wrestling matches.
ÁREA DE OCORRÊNCIA NATURAL	Equador e Colômbia.